Classified according to WHMIS 2015

### **SECTION 1: Identification**

#### 1.1. Product Identifier

Trade Name or Designation: Cadmium ICP Standard, 1000 ppm Cd in 3% HNO<sub>3</sub>

Product Number: PCD1KN

Other Identifying Product Numbers: PCD1KN-100, PCD1KN-500

#### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

#### 1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

**Telephone:** 888-467-4222

#### 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

Product Number: PCD1KN Page 1 of 18



# **Safety Data Sheet**

## SECTION 2: Hazard(s) Identification

#### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements	Precautionary Statements:
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320,
			P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Carcinogenicity	Category 1	H350	P201, P202, P280, P308+P313, P405, P501
Reproductive Toxicity	Category 2	H361	P201, P202, P280, P308+P313, P405, P501
Corrosive to Metals	Category 1	H290	P234, P390, P406
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 2	H411	P273, P391, P501

#### 2.2. GHS Label Elements

#### Pictograms:









Signal Word: Danger

#### **Hazard Statements:**

Hazard Number	Hazard Statement
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H350	May cause cancer.
H361	Suspected of damaging fertility or the unborn child.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Product Number: PCD1KN Page 2 of 18

#### **Precautionary Statements:**

Precautionary Number	Precautionary Statement
P201	
	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P234	Keep only in original container.
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical attention.
P310	Immediately call a POISON CENTER or physician.
P320	Specific treatment is urgent (Wash areas of contact with water immediately).
P321	Specific treatment (Wash areas of contact with water immediately).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

### 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: PCD1KN Page 3 of 18



### **SECTION 3: Composition / Information on Ingredients**

#### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight CAS Number	Weight%
Water	$H_2O$	18.01 g/mol 7732-18-5	96.81
Nitric Acid	HNO <sub>3</sub>	63.01 g/mol 7697-37-2	3.09
Cadmium	Cd	112.41 g/mol 7440-43-9	0.10

#### **SECTION 4: First-Aid Measures**

#### 4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. May cause irritation, redness, pain, and tearing.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness

and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Do NOT induce vomiting.

#### 4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. May cause cancer. Suspected of damaging fertility or the unborn child. Mildly corrosive liquid. Contains a known carcinogen. Avoid contact with skin, eyes, and clothing. If swallowed, dilute with water, induce vomiting and call a physician. Wash areas of contact with plenty of water. Potential symptoms of overexposure are irritation of the eyes, mucous membranes and skin, dental erosion, bronchitis, pneumonitis, delayed pulmonary edema. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time. CHRONIC EFFECTS / CARCINOGENICITY: Chronic poisoning can lead to liver and kidney damage.

### 4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Specific treatment (Wash areas of contact with water immediately). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute immediately with water or milk. Induce vomiting. Call a physician.

### **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing Media

Use water or water spray.

#### 5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard.

Product Number: PCD1KN Page 4 of 18

#### 5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

#### **SECTION 6: Accidental Release Measures**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

#### 6.2. Cleanup and Containment Methods and Materials

Do not flush to sewer. Absorb with suitable material. Containerize for disposal with a hazardous waste disposal facility. Dispose of in accordance with local regulations.

### **SECTION 7: Handling and Storage**

#### 7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Product Number: PCD1KN Page 5 of 18



### **SECTION 8: Exposure Controls / Personal Protection**

#### **8.1 Control Parameters**

Chemical Name	Limit Type	Country	Exposure Limit	U.S OSHA - Specifically Regulated Chemicals with PELs	
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]		
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)	
Cadmium (7440-43-9)	PEL	USA	"5 µg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs	
Cadmium (7440-43-9)	TLV-TWA	USA			
Cadmium (7440-43-9)	TLV-TWA	USA			
Cadmium (7440-43-9)	PEL	USA	"5 µg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs	

Product Number: PCD1KN Page 6 of 18



# **Safety Data Sheet**

Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
			1910.1027, as Cd); 2.5	Chemicals with PELs
			μg/m³ Action Level (as Cd)"	
			As Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd);	ACGIH - Threshold Limit Values - Time
			0.002 mg/m³ TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As	
			Cadmium compounds	
Codmium (7440-40-0)	DEI	LICA	[RR-00559-4]	II.C. OCHA Chocifically Demyloted
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated Chemicals with PELs
			1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)"	Chemicals with FELS
			As Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd);	ACGIH - Threshold Limit Values - Time
	V 1 V V/ V	30/1	0.002 mg/m³ TWA (d3 Gd),	Weighted Averages (TLV-TWA)
			(respirable particulate	rreignica / treiages (121 1171)
			matter, as Cd)" As	
			Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd);	ACGIH - Threshold Limit Values - Time
			0.002 mg/m <sup>3</sup> TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As	
			Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
			1910.1027, as Cd); 2.5	Chemicals with PELs
			μg/m³ Action Level (as Cd)"	
			As Cadmium compounds	
<u> </u>			[RR-00559-4]	
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
			1910.1027, as Cd); 2.5	Chemicals with PELs
			μg/m³ Action Level (as Cd)"	
			As Cadmium compounds	
			[RR-00559-4]	

Product Number: PCD1KN Page 7 of 18



# **Safety Data Sheet**

Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd);	ACGIH - Threshold Limit Values - Time
			0.002 mg/m <sup>3</sup> TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As	
			Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
			1910.1027, as Cd); 2.5	Chemicals with PELs
			μg/m³ Action Level (as Cd)"	
			As Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m <sup>3</sup> TWA (as Cd);	ACGIH - Threshold Limit Values - Time
			0.002 mg/m <sup>3</sup> TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As	
			Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
			1910.1027, as Cd); 2.5	Chemicals with PELs
			μg/m³ Action Level (as Cd)"	
			As Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m <sup>3</sup> TWA (as Cd);	ACGIH - Threshold Limit Values - Time
			0.002 mg/m <sup>3</sup> TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As	
			Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	PEL	USA	5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
			1910.1027); 2.5 μg/m <sup>3</sup>	Chemicals with PELs
			Action Level	
Cadmium (7440-43-9)	TLV-TWA	USA	0.01 mg/m³ TWA; 0.002	ACGIH - Threshold Limit Values - Time
			mg/m³ TWA (respirable	Weighted Averages (TLV-TWA)
			particulate matter)	

Product Number: PCD1KN Page 8 of 18



# **Safety Data Sheet**

Cadmium (7440-43-9)	PEL-Ceiling	USA	0.3 mg/m³ Ceiling (applies	U.S OSHA - Final PELs - Ceiling
			to any operations or sectors	Limits
			for which the Cadmium	
			standard is stayed or	
			otherwise not in effect,	
			fume); 0.6 mg/m <sup>3</sup> Ceiling	
			(applies to any operations	
			or sectors for which the	
			Cadmium standard is	
			stayed or otherwise not in	
			effect, dust)	
Cadmium (7440-43-9)	TWA	USA	5 μg/m³ TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m3 TWA (as Cd);	ACGIH - Threshold Limit Values - Time
			0.002 mg/m³ TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As	
			Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
			1910.1027, as Cd); 2.5	Chemicals with PELs
			μg/m³ Action Level (as Cd)"	
			As Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
			1910.1027, as Cd); 2.5	Chemicals with PELs
			μg/m³ Action Level (as Cd)"	
			As Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m <sup>3</sup> TWA (as Cd);	ACGIH - Threshold Limit Values - Time
			0.002 mg/m <sup>3</sup> TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As	
			Cadmium compounds	
			[RR-00559-4]	
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA; 5 mg/m³ TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)

Product Number: PCD1KN Page 9 of 18

Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values -
				Short Term Exposure Limits
				(TLV-STEL)

#### 8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. No specific controls are needed. Normal room ventilation is

adequate.

**Respiratory Protection:** In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate.

**Skin Protection:** Wear protective gloves and eye protection. Chemical resistant gloves. **Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

#### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

Product Number: PCD1KN Page 10 of 18



### **SECTION 9: Physical and Chemical Properties**

#### 9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: Approximately 0°C

Initial Boiling Point/Range: Approximately 100°C - Approximately 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.02

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

**Decomposition Temperature:** Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

### **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

#### 10.2. Possibility of Hazardous Reactions

Data not available.

### 10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Strong bases, strong reducing agents, metallic powders.

#### 10.4. Hazardous Decomposition Products

Will not occur.

Product Number: PCD1KN Page 11 of 18

### **SECTION 11: Toxicological Information**

#### 11.1. Information on Toxicological Effects

#### **Acute Toxicity - Oral Exposure:**

Not applicable.

#### **Acute Toxicity - Dermal Exposure:**

Not applicable.

#### **Acute Toxicity - Inhalation Exposure:**

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Acute Toxicity - Other Information:**

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), 2330 mg/kg (Cadmium) details of toxic effects not reported other than lethal dose value.

#### **Skin Corrosion and Irritation:**

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

#### **Respiratory Sensitization:**

Not applicable.

#### Skin Sensitization:

Not applicable.

#### **Germ Cell Mutagenicity:**

Not applicable.

#### Carcinogenicity:

May cause cancer. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Reproductive Toxicity:**

Suspected of damaging fertility or the unborn child. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Product Number: PCD1KN Page 12 of 18

#### **Specific Target Organ Toxicity from Single Exposure:**

Not applicable.

#### **Specific Target Organ Toxicity from Repeated Exposure:**

Not applicable.

#### **Aspiration Hazard:**

Not applicable.

#### **Additional Toxicology Information:**

Data not available.

### **SECTION 12: Ecological Information**

### 12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

#### 12.2. Persistence and Degradability

Data not available.

#### 12.3. Bioaccumulative Potential

Data not available.

#### 12.4. Mobility in Soil

Data not available.

#### 12.5. Other Adverse Ecological Effects

Data not available.

### **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Data not available.

Product Number: PCD1KN Page 13 of 18



### **SECTION 14: Transportation Information**

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

**Sizes:** 100 mL, 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 100 mL, 500 mL

UN Number: UN3264

**Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

**Sizes:** 100 mL, 500 mL

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



Product Number: PCD1KN Page 14 of 18

### **SECTION 15: Regulatory Information**

#### 15.1. Occupational Safety and Health Administration (OSHA) Hazards

Cadmium (CAS # 7440-43-9): "5 µg/m3 TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m3 Action Level (as Cd)" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): 5 μg/m3 TWA (See 29 CFR 1910.1027); 2.5 μg/m3 Action Level

#### 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

#### 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Cadmium (CAS # 7440-43-9): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μm); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm)

Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

#### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Cadmium (CAS # 7440-43-9): "0.1 % de minimis concentration (includes any unique chemical substance that contains Cadmium as part of that chemical's infrastructure, listed under Chemical Category N078)" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): 0.1 % de minimis concentration Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration

#### 15.5. Massachusetts Right-to-Know Substance List

Cadmium (CAS # 7440-43-9): Carcinogen; Extraordinarily hazardous

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

#### 15.6. Pennsylvania Right-to-Know Hazardous Substances

Cadmium (CAS # 7440-43-9): "Environmental hazard" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): "Present" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): Environmental hazard (dust; fume; metal; powder); Special hazardous substance (metal; powder)

Cadmium (CAS # 7440-43-9): Present (dust; fume; metal; powder)

Cadmium (CAS # 7440-43-9): Present (metal; powder) Nitric Acid (CAS # 7697-37-2): Environmental hazard

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

Product Number: PCD1KN Page 15 of 18

#### 15.7. New Jersey Worker and Community Right-to-Know Components

Cadmium (CAS # 7440-43-9): "carcinogen" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): "SN 2199 500 lb TPQ (Category Code N078. Includes any unique chemical substance that contains the named metal

as part of that chemical structure)" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): "sn 2199" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): carcinogen; flammable - third degree; teratogen

Cadmium (CAS # 7440-43-9): sn 0305

Cadmium (CAS # 7440-43-9): SN 0305 500 lb TPQ

Nitric Acid (CAS # 7697-37-2): corrosive; reactive - second degree

Nitric Acid (CAS # 7697-37-2): sn 1356

Nitric Acid (CAS # 7697-37-2): SN 1356 500 lb TPQ

Nitric Acid (CAS # 7697-37-2): sn 3722

Nitric Acid (CAS # 7697-37-2): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

#### 15.8. California Proposition 65

Cadmium (CAS # 7440-43-9): "carcinogen, 10/1/1987" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): 0.05 μg/day NSRL (inhalation)

Cadmium (CAS # 7440-43-9): carcinogen, 10/1/1987

Cadmium (CAS # 7440-43-9): developmental toxicity, 5/1/1997

Cadmium (CAS # 7440-43-9): male reproductive toxicity, 5/1/97

#### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Cadmium (CAS # 7440-43-9): Present (DSL)

Nitric Acid (CAS # 7697-37-2): Present (DSL)

Water (CAS # 7732-18-5): Present (DSL)

#### 15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Cadmium (CAS # 7440-43-9): Present (ACTIVE)

Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)

Water (CAS # 7732-18-5): Present (ACTIVE)

# 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Cadmium (CAS # 7440-43-9): 231-152-8 Nitric Acid (CAS # 7697-37-2): 231-714-2 Water (CAS # 7732-18-5): 231-791-2

Product Number: PCD1KN Page 16 of 18



### **SECTION 16: Other Information**

#### 16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Fatal if inhaled. May cause cancer. Suspected of damaging fertility or the unborn child. Toxic to aquatic life with long lasting effects.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention. Specific treatment is urgent (Wash areas of contact with water immediately). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Collect spillage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

#### 16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

#### 16.3. National Fire Protection Association (NFPA) Rating

Health: 2
Flammability: 0
Reactivity: 0
Special Hazard:



#### 16.4. Document Revision

Last Revision Date: 2023-09-11

Product Number: PCD1KN Page 17 of 18

### **DISCLAIMER**

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: PCD1KN Page 18 of 18