

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Buffer B, NH_4OH - KCN

Product Number: R1469000

Other Identifying Product Numbers: R1469000-4C

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA)

800-424-9300

CHEMTREC (International)

1+ 703-527-3887

Safety Data Sheet

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

Hazard Class	Category	Hazard Statements	Precautionary Statements:
Acute Toxicity - Oral	Category 3	H301	P264, P270, P301+P310, P321, P330, P405, P501
Acute Toxicity - Dermal	Category 2	H310	P262, P264, P270, P280, P352, P310, P321, P361, P405, P501
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320, P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331, P303+P361+P353, P363, P304+P340, P310, P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 2	H411	P273, P391, P501

2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

Hazard Number	Hazard Statement
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet

Precautionary Statements:

Precautionary Number	Precautionary Statement
P260	Do not breathe fumes, mist, vapors, or spray.
P262	Do not get in eyes, on skin, or on clothing.
P264	Wash arms, hands and face thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P320	Specific treatment is urgent (Wash areas of contact with water immediately).
P321	Specific treatment (Wash areas of contact with water immediately).
P330	Rinse mouth.
P352	Wash with plenty of soap and water.
P361	Take off immediately all contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H ₂ O	18.01 g/mol	7732-18-5	90.41
Potassium Cyanide	KCN	65.11 g/mol	151-50-8	5.88
Ammonium Hydroxide	NH ₄ OH	35.04 g/mol	1336-21-6	3.71

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause severe irritation with possible permanent damage.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Will pass through unbroken skin and enter the bloodstream. Large exposures can be fatal.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Do not induce vomiting. Give large quantity of water. Call a physician immediately.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Toxic if swallowed. Fatal in contact with skin. Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. DANGER! Corrosive and Toxic! May be fatal if swallowed. Hazardous fumes and liquid. Do not get in eyes, on skin, or on clothing. Do not pipet by mouth. If ingested, give large quantity of water and call a physician immediately. Wash areas of contact with plenty of water for at least 15 minutes. For eyes, get medical attention. EYE CONTACT: May cause severe irritation with possible permanent damage. SKIN CONTACT: Will pass through unbroken skin and enter the bloodstream. Large exposures can be fatal.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Specific treatment (Wash areas of contact with water immediately).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use any means suitable for extinguishing surrounding fire. Use water spray to blanket fire, cool fire exposed containers, and to flush non-ignited spills or vapors away from fire.

5.2. Specific Hazards Arising from the Substance or Mixture

Flammable vapors may accumulate in confined spaces.

Safety Data Sheet

5.3. Special Protective Equipment for Firefighters

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material (paper towels, etc.) and dispose of in accordance with local regulations. Ventilate, if necessary, site of spillage well to evaporate remaining liquid and dispel vapor.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Store below 25°C. Empty containers may be hazardous since they retain product residues.

Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Ammonium Hydroxide (1336-21-6)	TLV-TWA	USA	25 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hydroxide (1336-21-6)	TLV-STEL	USA	35 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Ammonium Hydroxide (1336-21-6)	TWA	USA	50 ppm TWA; 35 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Potassium Cyanide (151-50-8)	TWA	USA	"5 mg/m ³ TWA (as CN)" As Cyanides [RR-00812-8]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Potassium Cyanide (151-50-8)	TLV-Ceiling	USA	5 mg/m ³ Ceiling (as CN, listed under Hydrogen cyanide and cyanide salts)	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Potassium Cyanide (151-50-8)	TWA	USA	"5 mg/m ³ TWA (as CN)" As Cyanides [RR-00812-8]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Potassium Cyanide (151-50-8)	TWA	USA	"5 mg/m ³ TWA (as CN)" As Cyanides [RR-00812-8]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Potassium Cyanide (151-50-8)	TWA	USA	5 mg/m ³ TWA (as CN)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Potassium Cyanide (151-50-8)	TWA	USA	"5 mg/m ³ TWA (as CN)" As Cyanides [RR-00812-8]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Potassium Cyanide (151-50-8)	TWA	USA	"5 mg/m ³ TWA (as CN)" As Cyanides [RR-00812-8]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limit.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection. If the TLV is exceeded, a half-mask organic vapor respirator may be worn for up to 10 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full facepiece organic vapor respirator may be worn for up to 50 times the exposure limit, or the maximum use concentration specified by the respirator supplier, whichever is lowest.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

Safety Data Sheet

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. If the TLV is exceeded, a half-mask organic vapor respirator may be worn for up to 10 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full facepiece organic vapor respirator may be worn for up to 50 times the exposure limit, or the maximum use concentration specified by the respirator supplier, whichever is lowest. Chemical resistant gloves. Safety glasses or goggles.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: Approximately 0°C

Initial Boiling Point/Range: Approximately 36°C - Approximately 36°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.0

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

Safety Data Sheet

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Strong oxidizers, acids, Calcium Hypochlorite bleaches, gold, mercury, silver, halogens, acid salts, Peroxides. Contact with acids generates toxic Cyanide gas.

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Toxic if swallowed. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Rinse mouth. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Dermal Exposure:

Fatal in contact with skin. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves and eye protection. Wash with plenty of soap and water. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Take off immediately all contaminated clothing and wash it before reuse. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Other Information:

LD50, Oral, Rat: 350 mg/kg (Ammonium Hydroxide), gastrointestinal, liver, kidney, ureter, bladder changes. LDLo, Oral, Human: 43 mg/kg; LCLo, Inhalation, Human: 5000 ppm, details of toxic effects not reported other than lethal dose value. LD50, Oral, Rat: 5 mg/kg (Potassium Cyanide), details of toxic effects not reported other than lethal dose value.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Safety Data Sheet

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations.
Toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

Safety Data Sheet

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 4 L

UN Number: UN3289

Proper Shipping Name: Toxic liquid, corrosive, inorganic, n.o.s. (Potassium Cyanide, Ammonium Hydroxide)

Hazard Class: 6.1 (8)

Packing Group: II

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 4 L

UN Number: UN3289

Proper Shipping Name: Toxic liquid, corrosive, inorganic, n.o.s. (Potassium Cyanide, Ammonium Hydroxide)

Hazard Class: 6.1 (8)

Packing Group: II

Hazard Label(s):



Safety Data Sheet

14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 4 L

UN Number: UN3289

Proper Shipping Name: TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (potassium cyanide, ammonium hydroxide)

Hazard Class: 6.1 (8)

Packing Group: II

Hazard Label(s):



SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Ammonium Hydroxide (CAS # 1336-21-6): 100 lb EPCRA RQ

Ammonium Hydroxide (CAS # 1336-21-6): 500 lb TPQ

Potassium Cyanide (CAS # 151-50-8): 10 lb EPCRA RQ

Potassium Cyanide (CAS # 151-50-8): 100 lb TPQ (this material is a reactive solid, the TPQ does not default to 10000 pounds for non-powder, non-molten, non-solution form)

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Ammonium Hydroxide (CAS # 1336-21-6): 100 lb final RQ; 45.4 kg final RQ

Ammonium Hydroxide (CAS # 1336-21-6): 1000 lb final RQ; 454 kg final RQ

Potassium Cyanide (CAS # 151-50-8): "10 lb final RQ; 4.54 kg final RQ" As F019-Hazardous wastes [RR-00647-3]

Potassium Cyanide (CAS # 151-50-8): 10 lb final RQ; 4.54 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Ammonium Hydroxide (CAS # 1336-21-6): "1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)" As Aqueous ammonia from water dissociable ammonium salts and other sources [RR-47925-4]

Ammonium Hydroxide (CAS # 1336-21-6): 1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)

Ammonium Hydroxide (CAS # 1336-21-6): 1.0 % de minimis concentration (includes anhydrous Ammonia and aqueous Ammonia from water dissociable Ammonium salts and other sources, 10% of total aqueous Ammonia is reportable under this listing)

Potassium Cyanide (CAS # 151-50-8): "1.0 % de minimis concentration (X+CN⁻ where X=H⁺ or any other group where a formal dissociation can be made, for example, KCN or Ca(CN)₂, listed under Chemical Category N106)" As Cyanide compounds [RR-00812-8]

Potassium Cyanide (CAS # 151-50-8): 1.0 % de minimis concentration (X+CN⁻ where X=H⁺ or any other group where a formal dissociation can be made, for example, KCN or Ca(CN)₂, listed under Chemical Category N106)

Safety Data Sheet

15.5. Massachusetts Right-to-Know Substance List

Ammonium Hydroxide (CAS # 1336-21-6): Extraordinarily hazardous (including anhydrous)

Ammonium Hydroxide (CAS # 1336-21-6): Present

Potassium Cyanide (CAS # 151-50-8): Extraordinarily hazardous

Potassium Cyanide (CAS # 151-50-8): Present

15.6. Pennsylvania Right-to-Know Hazardous Substances

Ammonium Hydroxide (CAS # 1336-21-6): Environmental hazard

Ammonium Hydroxide (CAS # 1336-21-6): Present

Potassium Cyanide (CAS # 151-50-8): "Environmental hazard" As Cyanide compounds [RR-00812-8]

Potassium Cyanide (CAS # 151-50-8): "Present" As Cyanide compounds [RR-00812-8]

Potassium Cyanide (CAS # 151-50-8): Environmental hazard

Potassium Cyanide (CAS # 151-50-8): Present

Potassium Cyanide (CAS # 151-50-8): Present (listed under Cyanide)

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

15.7. New Jersey Worker and Community Right-to-Know Components

Ammonium Hydroxide (CAS # 1336-21-6): corrosive

Ammonium Hydroxide (CAS # 1336-21-6): sn 0084

Ammonium Hydroxide (CAS # 1336-21-6): SN 0084 500 lb TPQ (The reportable quantity for anhydrous Ammonia is based on 100% of the anhydrous Ammonia. The reportable quantity for aqueous Ammonia is the Ammonia equivalent weight for concentrations of $\geq 20\%$.)

Ammonium Hydroxide (CAS # 1336-21-6): sn 0103

Potassium Cyanide (CAS # 151-50-8): "SN 2308 500 lb TPQ (Category Code N106. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Cyanide compounds [RR-00812-8]

Potassium Cyanide (CAS # 151-50-8): "sn 2308" As Cyanide compounds [RR-00812-8]

Potassium Cyanide (CAS # 151-50-8): sn 0553 (listed under Cyanide)

Potassium Cyanide (CAS # 151-50-8): SN 0553 500 lb TPQ

Potassium Cyanide (CAS # 151-50-8): sn 1562

Potassium Cyanide (CAS # 151-50-8): SN 1562 100 lb TPQ

Potassium Cyanide (CAS # 151-50-8): sn 2308

Potassium Cyanide (CAS # 151-50-8): SN 2308 500 lb TPQ (Category Code N106. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

15.8. California Proposition 65

Potassium Cyanide (CAS # 151-50-8): "male reproductive toxicity, 7/5/13" As Hydrogen cyanide salts [RR-04817-9]

Potassium Cyanide (CAS # 151-50-8): male reproductive toxicity, 7/5/13

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Ammonium Hydroxide (CAS # 1336-21-6): Present (DSL)

Potassium Cyanide (CAS # 151-50-8): Present (DSL)

Water (CAS # 7732-18-5): Present (DSL)

Safety Data Sheet

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Ammonium Hydroxide (CAS # 1336-21-6): Present (ACTIVE)

Potassium Cyanide (CAS # 151-50-8): Present (ACTIVE)

Water (CAS # 7732-18-5): Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Ammonium Hydroxide (CAS # 1336-21-6): 215-647-6

Ammonium Hydroxide (CAS # 1336-21-6): 231-635-3

Potassium Cyanide (CAS # 151-50-8): 205-792-3

Water (CAS # 7732-18-5): 231-791-2

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

Toxic if swallowed. Fatal in contact with skin. Causes severe skin burns and eye damage. Fatal if inhaled. Toxic to aquatic life with long lasting effects.

Do not breathe fumes, mist, vapors, or spray. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: Immediately call a POISON CENTER or physician. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment is urgent (Wash areas of contact with water immediately). Wash with plenty of soap and water. Wash contaminated clothing before reuse. Collect spillage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.


Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

Safety Data Sheet

16.3. National Fire Protection Association (NFPA) Rating

Health: 3
Flammability: 0
Reactivity: 1
Special Hazard:



16.4. Document Revision

Last Revision Date: 2023-09-11

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.