

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS)

## SECTION 1: Identification

### 1.1. Product Identifier

**Trade Name or Designation:** HydroSpec® Coulometric AG Oil  
Anolyte Solution for Samples Insoluble in Methanol for Cells With or Without Diaphragm  
**Product Number:** RK160000  
**Other Identifying Product Numbers:** RK160000-1C, RK160000-500C

### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

### 1.3. Details of the Supplier of the Safety Data Sheet

**Company:** Ricca Chemical Company  
**Address:** 448 West Fork Drive

Arlington, TX 76012 USA

**Telephone:** 888-467-4222

### 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA)	800-424-9300
CHEMTREC (International)	1+ 703-527-3887

# Safety Data Sheet

## SECTION 2: Hazard(s) Identification

### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

Hazard Class	Category	Hazard Statements	Precautionary Statements:
Acute Toxicity - Oral	Category 3	H301	P264, P270, P301+P310, P321, P330, P405, P501
Acute Toxicity - Inhalation	Category 4	H332	P261, P271, P304+P340, P312
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331, P303+P361+P353, P363, P304+P340, P310, P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Germ Cell Mutagenicity	Category 2	H341	P201, P202, P280, P308+P313, P405, P501
Carcinogenicity	Category 2	H351	P201, P202, P280, P308+P313, P405, P501
Reproductive Toxicity	Category 1	H360	P201, P202, P280, P308+P313, P405, P501
Specific Target Organs/Systemic Toxicity Following Single Exposure	Category 2	H371	P260, P264, P270, P308+P311, P405, P501
Specific Target Organs/Systemic Toxicity Following Repeated Exposure	Category 1	H372	P260, P264, P270, P314, P501
Aspiration Hazard	Category 1	H304	P301+P310, P331, P405, P501
Flammable Liquids	Category 2	H225	P210, P233, P240, P241, P242, P243, P280, P303+P361+P353, P370+P378, P403+P235, P501

### 2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**



## Safety Data Sheet

### Hazard Statements:

Hazard Number	Hazard Statement
H225	Highly flammable liquid and vapor.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H360	May damage fertility or the unborn child.
H371	May cause damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.

## Safety Data Sheet

### Precautionary Statements:

Precautionary Number	Precautionary Statement
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks and open flame. No smoking.
P233	Keep container tightly closed.
P240	Ground container and receiving equipment.
P241	Use explosion-proof equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe fumes, mist, vapors, or spray.
P261	Avoid breathing fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves and eye protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P311	IF exposed or concerned: Call a POISON CENTER or physician.
P308+P313	IF exposed or concerned: Get medical attention.
P310	Immediately call a POISON CENTER or physician.
P312	Call a POISON CENTER or physician if you feel unwell.
P314	Get medical attention if you feel unwell.
P321	Specific treatment (Wash areas of contact with water.).
P330	Rinse mouth.
P331	Do NOT induce vomiting.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

### 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

# Safety Data Sheet

## SECTION 3: Composition / Information on Ingredients

### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Methyl Alcohol	CH <sub>3</sub> OH	32.04 g/mol	67-56-1	45.00
Sulfur Dioxide	SO <sub>2</sub>	64.06 g/mol	7446-09-5	10.00
Chloroform	CHCl <sub>3</sub>	119.37 g/mol	67-66-3	10.00
Imidazole	NHCH:NCH:CH	68.07 g/mol	288-32-4	10.00
Xylene	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> ) <sub>2</sub>	106.16 g/mol	1330-20-7	10.00
Diethanolamine	C <sub>4</sub> H <sub>11</sub> NO <sub>2</sub>	105.13 g/mol	111-42-2	10.00
Imidazolium Iodide	C <sub>3</sub> H <sub>4</sub> N <sub>2</sub> ·HI	195.99 g/mol	68007-08-9	5.00

## SECTION 4: First-Aid Measures

### 4.1. General First Aid Information

**Eye Contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Causes irritation.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Skin Contact:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation with itching, redness, burning and swelling. Prolonged contact required for serious effects, which include dermatitis.

**Ingestion:** IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute immediately with water or milk. Do not induce vomiting. Call a physician.

### 4.2. Most Important Symptoms and Effects, Acute and Delayed

Toxic if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes serious eye damage. Harmful if inhaled. Suspected of causing genetic defects. Suspected of causing cancer. May damage fertility or the unborn child. May cause damage to organs. Causes damage to organs through prolonged or repeated exposure. EYE CONTACT: Causes irritation. SKIN CONTACT: May cause irritation with itching, redness, burning and swelling. Prolonged contact required for serious effects, which include dermatitis. CHRONIC EFFECTS / CARCINOGENICITY: Suspected carcinogen. Prolonged or repeated exposure to vapors may cause damage to the nervous system, heart, liver and kidneys. Repeated exposure may cause chronic irritation of the skin leading possibly to dermatitis.

### 4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). Remove to fresh air. Give artificial respiration if not breathing. If breathing is difficult, give oxygen. Wash areas of contact with soap and water for at least 15 minutes. If swallowed, dilute immediately with water or milk. Do not induce vomiting. Call a physician if necessary.

# Safety Data Sheet

## SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing Media

In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2. Specific Hazards Arising from the Substance or Mixture

Highly flammable liquid and vapor. Flammable in the presence of a source of ignition when the temperature is above the flash point.

### 5.3. Special Protective Equipment for Firefighters

Wear special protective clothing and positive pressure self-contained breathing apparatus. Polyvinyl alcohol or Viton barrier recommended.

## SECTION 6: Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection.

### 6.2. Cleanup and Containment Methods and Materials

Approach release from upwind. Stop or control the leak, if this can be done without undue risk. Control runoff and isolate discharged material for proper disposal. Do not flush to the drain.

## SECTION 7: Handling and Storage

### 7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

## Safety Data Sheet

### SECTION 8: Exposure Controls / Personal Protection

#### 8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Diethanolamine (111-42-2)	TLV-TWA	USA	1 mg/m <sup>3</sup> TWA (inhalable fraction and vapor)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Xylene (1330-20-7)	TWA	USA	100 ppm TWA; 435 mg/m <sup>3</sup> TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Xylene (1330-20-7)	TLV-TWA	USA	20 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Methyl Alcohol (67-56-1)	TLV-TWA	USA	200 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Methyl Alcohol (67-56-1)	TLV-STEL	USA	250 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Methyl Alcohol (67-56-1)	TWA	USA	200 ppm TWA; 260 mg/m <sup>3</sup> TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Chloroform (67-66-3)	PEL-Ceiling	USA	50 ppm Ceiling; 240 mg/m <sup>3</sup> Ceiling	U.S. - OSHA - Final PELs - Ceiling Limits
Chloroform (67-66-3)	TLV-TWA	USA	10 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Chloroform (67-66-3)	TWA	USA	"0.5 mg/m <sup>3</sup> TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Chloroform (67-66-3)	TLV-TWA	USA	"0.5 mg/m <sup>3</sup> TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Sulfur Dioxide (7446-09-5)	TLV-STEL	USA	0.25 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Sulfur Dioxide (7446-09-5)	TWA	USA	5 ppm TWA; 13 mg/m <sup>3</sup> TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

#### 8.2. Exposure Controls

**Engineering Controls:** Use only outdoors or in a well-ventilated area. A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limit.

**Respiratory Protection:** Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn.

**Skin Protection:** Wear protective gloves and eye protection. Chemical resistant gloves.

## Safety Data Sheet

**Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn. Chemical resistant gloves. Safety glasses or goggles.

## SECTION 9: Physical and Chemical Properties

### 9.1. Basic Physical and Chemical Properties

**Appearance:** Colorless to light yellow

**Physical State:** Liquid

**Odor:** Data not available.

**Odor Threshold:** Data not available.

**pH:** 5.0-6.0 at 20°C

**Melting/Freezing Point:** Data not available

**Initial Boiling Point/Range:** 59°C at 1013hPa (760mmHg) - 59°C at 1013hPa (760mmHg)

**Flash Point:** 9°C - closed cup

**Evaporation Rate:** Data not available.

**Flammability:** Data not available.

**Flammability/Explosive Limits:** Data not available.

**Vapor Pressure:** Data not available.

**Vapor Density:** Data not available.

**Relative Density:** 1.04

**Solubility:** Data not available

**Partition Coefficient:** Data not available.

**Auto-Ignition Temperature:** Data not available.

**Decomposition Temperature:** Data not available.

**Viscosity:** Data not available.

**Explosive Properties:** Data not available.

**Oxidizing Properties:** Data not available.

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

### 10.2. Possibility of Hazardous Reactions

Data not available.



## Safety Data Sheet

### 10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Zinc, Oxidizing agents, Alkali metals, Iron, Copper, Acid chlorides, Acid anhydrides, Reducing agents, Acids, Lithium, Sodium/sodium oxides, Magnesium, heat, sparks and open flame.

### 10.4. Hazardous Decomposition Products

Will not occur. May form carbon oxides, nitrogen oxides, sulfur oxides, hydrogen iodide, hydrogen cyanide (hydrocyanic acid) in the case of fire.

## SECTION 11: Toxicological Information

### 11.1. Information on Toxicological Effects

#### Acute Toxicity - Oral Exposure:

Toxic if swallowed. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). Rinse mouth. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Acute Toxicity - Dermal Exposure:

Not applicable.

#### Acute Toxicity - Inhalation Exposure:

Harmful if inhaled. Avoid breathing fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.

#### Acute Toxicity - Other Information:

LD50, Oral, Rat: (Chloroform) 695 mg/kg, behavioral and respiratory effects noted; LD50, Dermal, Rabbit: >20,000 mg/kg, details of toxic effects not reported other than lethal dose value. Investigated as a tumorigen (Chloroform). LD50, Oral, Rat: (Methanol) 5628 mg/kg, details of toxic effects not reported other than lethal dose value. Investigated as a mutagen and reproductive effector. LD50, Oral, Rat: (Xylene) 3567 mg/kg.

#### Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

#### Respiratory Sensitization:

Not applicable.

#### Skin Sensitization:

Not applicable.

## Safety Data Sheet

**Germ Cell Mutagenicity:**

Suspected of causing genetic defects. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

**Carcinogenicity:**

Suspected of causing cancer. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

**Reproductive Toxicity:**

May damage fertility or the unborn child. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

**Specific Target Organ Toxicity from Single Exposure:**

May cause damage to organs. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed or concerned: Call a POISON CENTER or physician. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

**Specific Target Organ Toxicity from Repeated Exposure:**

Causes damage to organs through prolonged or repeated exposure. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Get medical attention if you feel unwell. Dispose of contents in accordance with local, state, federal and international regulations.

**Aspiration Hazard:**

May be fatal if swallowed and enters airways. IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

**Additional Toxicology Information:**

Data not available.

### SECTION 12: Ecological Information

**12.1. Ecotoxicity**

Not applicable.

**12.2. Persistence and Degradability**

Data not available.

**12.3. Bioaccumulative Potential**

Data not available.

**12.4. Mobility in Soil**

Data not available.

**12.5. Other Adverse Ecological Effects**

Data not available.

# Safety Data Sheet

## SECTION 13: Disposal Considerations

### 13.1. Waste Treatment Methods

Data not available.

## SECTION 14: Transportation Information

### 14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

**Sizes:** 1 L, 6 L, 220 mL, 500 mL, 3000 mL

**UN Number:** UN1992

**Proper Shipping Name:** Flammable liquid, toxic, n.o.s. (Methanol, Chloroform, Xylene)

**Hazard Class:** 3 (6.1)

**Packing Group:** II

**Hazard Label(s):**



### 14.2. Transportation by Air - International Air Transport Association (IATA)

**Sizes:** 1 L, 6 L, 220 mL, 500 mL, 3000 mL

**UN Number:** UN1992

**Proper Shipping Name:** Flammable liquid, toxic, n.o.s. (Methanol, Chloroform, Xylene)

**Hazard Class:** 3 (6.1)

**Packing Group:** II

**Hazard Label(s):**



## Safety Data Sheet

### 14.3 Transportation of Dangerous Goods (TDG, Canada)

**Sizes:** 1 L, 6 L, 220 mL, 500 mL, 3000 mL

**UN Number:** UN1992

**Proper Shipping Name:** FLAMMABLE LIQUID, TOXIC, N.O.S. (methanol, chloroform, xylene)

**Hazard Class:** 3 (6.1)

**Packing Group:** II

**Hazard Label(s):**



## SECTION 15: Regulatory Information

### 15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

### 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Chloroform (CAS # 67-66-3): 10 lb EPCRA RQ

Chloroform (CAS # 67-66-3): 10000 lb TPQ

Sulfur Dioxide (CAS # 7446-09-5): 500 lb EPCRA RQ

Sulfur Dioxide (CAS # 7446-09-5): 500 lb TPQ

### 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Diethanolamine (CAS # 111-42-2): 100 lb final RQ; 45.4 kg final RQ

Xylene (CAS # 1330-20-7): 100 lb final RQ; 45.4 kg final RQ

Methyl Alcohol (CAS # 67-56-1): 5000 lb final RQ; 2270 kg final RQ

Chloroform (CAS # 67-66-3): 10 lb final RQ; 4.54 kg final RQ

### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Diethanolamine (CAS # 111-42-2): 1.0 % de minimis concentration

Xylene (CAS # 1330-20-7): 1.0 % de minimis concentration

Methyl Alcohol (CAS # 67-56-1): 1.0 % de minimis concentration

Chloroform (CAS # 67-66-3): "1.0 % de minimis concentration (includes any unique chemical substance that contains Antimony as part of that chemical's infrastructure, listed under Chemical Category N010)" As Antimony compounds [RR-00585-6]

Chloroform (CAS # 67-66-3): 0.1 % de minimis concentration

## Safety Data Sheet

### 15.5. Massachusetts Right-to-Know Substance List

Diethanolamine (CAS # 111-42-2): Present

Xylene (CAS # 1330-20-7): Present

Methyl Alcohol (CAS # 67-56-1): Present

Chloroform (CAS # 67-66-3): Carcinogen; Extraordinarily hazardous

Sulfur Dioxide (CAS # 7446-09-5): Extraordinarily hazardous

### 15.6. Pennsylvania Right-to-Know Hazardous Substances

Diethanolamine (CAS # 111-42-2): Environmental hazard

Diethanolamine (CAS # 111-42-2): Present

Xylene (CAS # 1330-20-7): Environmental hazard

Xylene (CAS # 1330-20-7): Present

Methyl Alcohol (CAS # 67-56-1): "Present" As Denatured alcohols [RR-00113-8]

Methyl Alcohol (CAS # 67-56-1): Environmental hazard

Methyl Alcohol (CAS # 67-56-1): Present

Chloroform (CAS # 67-66-3): "Environmental hazard" As Antimony compounds [RR-00585-6]

Chloroform (CAS # 67-66-3): "Environmental hazard" As Halomethanes [RR-00327-0]

Chloroform (CAS # 67-66-3): "Present" As Antimony compounds [RR-00585-6]

Chloroform (CAS # 67-66-3): "Present" As Halomethanes [RR-00327-0]

Chloroform (CAS # 67-66-3): Environmental hazard

Chloroform (CAS # 67-66-3): Environmental hazard; Special hazardous substance

Chloroform (CAS # 67-66-3): Present

Sulfur Dioxide (CAS # 7446-09-5): Environmental hazard

Sulfur Dioxide (CAS # 7446-09-5): Present



## Safety Data Sheet

### 15.7. New Jersey Worker and Community Right-to-Know Components

Diethanolamine (CAS # 111-42-2): corrosive

Diethanolamine (CAS # 111-42-2): sn 0686

Diethanolamine (CAS # 111-42-2): SN 0686 500 lb TPQ

Xylene (CAS # 1330-20-7): flammable - third degree

Xylene (CAS # 1330-20-7): sn 2014

Xylene (CAS # 1330-20-7): SN 2014 500 lb TPQ

Methyl Alcohol (CAS # 67-56-1): flammable - third degree; teratogen

Methyl Alcohol (CAS # 67-56-1): sn 1222

Methyl Alcohol (CAS # 67-56-1): SN 1222 500 lb TPQ

Chloroform (CAS # 67-66-3): "SN 2223 500 lb TPQ (Category Code N010. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Antimony compounds [RR-00585-6]

Chloroform (CAS # 67-66-3): "sn 2223" As Antimony compounds [RR-00585-6]

Chloroform (CAS # 67-66-3): carcinogen

Chloroform (CAS # 67-66-3): sn 0388

Chloroform (CAS # 67-66-3): SN 0388 500 lb TPQ

Sulfur Dioxide (CAS # 7446-09-5): sn 1759

Sulfur Dioxide (CAS # 7446-09-5): SN 1759 500 lb TPQ

### 15.8. California Proposition 65

Diethanolamine (CAS # 111-42-2): carcinogen, 6/22/2012

Methyl Alcohol (CAS # 67-56-1): developmental toxicity, 3/16/2012

Chloroform (CAS # 67-66-3): 20 µg/day NSRL (oral); 40 µg/day NSRL (inhalation)

Chloroform (CAS # 67-66-3): carcinogen, 10/1/1987

Chloroform (CAS # 67-66-3): developmental toxicity, 8/7/2009

Sulfur Dioxide (CAS # 7446-09-5): developmental toxicity, 7/29/2011

### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Diethanolamine (CAS # 111-42-2): Present (DSL)

Xylene (CAS # 1330-20-7): Present (DSL)

Imidazole (CAS # 288-32-4): Present (DSL)

Methyl Alcohol (CAS # 67-56-1): Present (DSL)

Methyl Alcohol (CAS # 67-56-1): Present (NDSL)

Chloroform (CAS # 67-66-3): Present (DSL)

Sulfur Dioxide (CAS # 7446-09-5): Present (DSL)

### 15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

## Safety Data Sheet

Diethanolamine (CAS # 111-42-2): Present (ACTIVE)

Xylene (CAS # 1330-20-7): Present (ACTIVE)

Imidazole (CAS # 288-32-4): Present (ACTIVE)

Methyl Alcohol (CAS # 67-56-1): Present (ACTIVE)

Chloroform (CAS # 67-66-3): Present (ACTIVE)

Sulfur Dioxide (CAS # 7446-09-5): Present (ACTIVE)

### **15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)**

Diethanolamine (CAS # 111-42-2): 203-868-0

Diethanolamine (CAS # 111-42-2): EC No. 403-410-1

Xylene (CAS # 1330-20-7): 215-535-7

Imidazole (CAS # 288-32-4): 206-019-2

Methyl Alcohol (CAS # 67-56-1): 200-659-6

Methyl Alcohol (CAS # 67-56-1): 270-649-4

Chloroform (CAS # 67-66-3): 200-663-8

Imidazolium Iodide (CAS # 68007-08-9): EC No. 460-240-0

Sulfur Dioxide (CAS # 7446-09-5): 231-195-2

## **SECTION 16: Other Information**

### **16.1. Full Text of Hazard Statements and Precautionary Statements**

Highly flammable liquid and vapor. Toxic if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Harmful if inhaled. Suspected of causing genetic defects. Suspected of causing cancer. May damage fertility or the unborn child. May cause damage to organs. Causes damage to organs through prolonged or repeated exposure.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye protection.

IF SWALLOWED: Immediately call a POISON CENTER or physician. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Call a POISON CENTER or physician. Get medical attention if you feel unwell. Specific treatment (Wash areas of contact with water.). Wash contaminated clothing before reuse. In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

Store in a well-ventilated place. Keep cool. Store locked up.

Dispose of contents in accordance with local, state, federal and international regulations.

## Safety Data Sheet

### 16.2. Miscellaneous Hazard Classes

**Canadian Carcinogenicity Hazard Class:** Not Applicable.


**Physical Hazards Not Otherwise Classified (PHNOC):** Not Applicable.

**Health Hazards Not Otherwise Classified (HHNOC):** Not Applicable.

**Biohazardous Infectious Materials Hazard Class:** Not Applicable.

### 16.3. National Fire Protection Association (NFPA) Rating

**Health:** 3  
**Flammability:** 3  
**Reactivity:** 0  
**Special Hazard:**



### 16.4. Document Revision

**Last Revision Date:** 2024-03-05

## DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.