

## **Product Specification**

## Ammonium Chloride-EDTA Solution for Nitrate by the Cadmium Reduction Method

Manufacture Date: N/A

Lot Number: SAMPLE

Product Number: 626

Expiration Date: N/A

Name	CAS#	Grade	
Water	7732-18-5	ACS/ASTM/USP/EP	
Ammonium Chloride	12125-02-9	ACS	
Ethylenediaminetetraacetic Acid (EDTA), Disodium Salt, Dihydrate	6381-92-6	ACS	
Ammonium Hydroxide	1336-21-6	ACS	
Test	Specification	Result	NIST SRM#
Appearance	Colorless liquid	N/A	
pH at 25°C (Method: SQCP027, SQCP033)	8.48-8.52	N/A	186-I-g, 186-II-g, 191d

Specification	Reference
Ammonium Chloride-EDTA Solution	APHA (4500-NO3- E)
Ammonium Chloride-EDTA Solution	EPA (353.3)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
626-1	4 L natural poly	12 months
626-16	500 mL natural poly	12 months
626-2.5	10 L Cubitainer®	12 months
626-32	1 L natural poly	12 months
626-5	20 L Cubitainer®	12 months

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)

This document is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.