

Arlington, TX 76012
Pocomoke City, MD 21851
Batesville, IN 47006
http://www.riccachemical.com
1-888-GO-RICCA
customerservice@riccachemical.com

## **Product Specification**

Bromocresol Green, 0.1% Alc

Lot Number: SAMPLE Product Number: R1204000

Manufacture Date: N/A Expiration Date: N/A

Name	CAS#	Grade	
Ethyl Alcohol	64-17-5	Reagent	
Methyl Alcohol	67-56-1	Reagent	
Bromocresol Green, sultone	76-60-8	ACS	

Test	Specification	Result
Appearance	Orange liquid	N/A
Suitability for Use	Blue (pH >5.4) - Green (pH 4.5) -	N/A
	Yellow (pH $< 4.0$ )	

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
R1204000-120A	120 mL natural poly	12 months
R1204000-500A	500 mL natural poly	12 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

This document is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: SAMPLE Product Number: R1204000 Page 1 of 1