

Product Specification

Antimony ICP Standard, 10,000 ppm Sb in H₂O/Tartaric Acid/tr HNO₃

Lot Number: SAMPLE

Product Number: PSB10KW

Manufacture Date: N/A

Expiration Date: N/A

This is a single element solution that was prepared volumetrically to contain the certified value reported. The uncertainty associated with the certified value is the sum of the estimated errors due to the purity of the raw material, the volumetric preparation of the solution, and transpiration of the solution through the container wall.

The final solution concentration is confirmed by AA, ICP, or ICP-MS, and is traceable to NIST Standard Reference Material 3102. All trace level elements were determined by ICP or ICP-MS.

| Name | CAS# | Grade |
|-------------------|-----------|-------|
| Water | 7732-18-5 | |
| Tartaric Acid | 87-69-4 | |
| Antimony | 7440-36-0 | |
| Nitric Acid | 7697-37-2 | |
| Hydrochloric Acid | 7647-01-0 | |

| Test | Specification | Result | NIST SRM# |
|---------------|------------------|--------|-----------|
| Antimony (Sb) | 9950-10050 ppm | N/A | 3102 |
| Appearance | Colorless liquid | N/A | |

Trace Elements by ICP or ICP - MS

I=Spectral Interference N=Not Tested

All values reported in mg/L (ppm)

| | | | | | |
|-----------------|-----|-------------------|-----|----------------|-----|
| Aluminum (Al) | N/A | Iron (Fe) | N/A | Selenium (Se) | N/A |
| Arsenic (As) | N/A | Lanthanum (La) | N/A | Silicon (Si) | N/A |
| Barium (Ba) | N/A | Lead (Pb) | N/A | Silver (Ag) | N/A |
| Beryllium (Be) | N/A | Lithium (Li) | N/A | Sodium (Na) | N/A |
| Bismuth (Bi) | N/A | Lutetium (Lu) | N/A | Strontium (Sr) | N/A |
| Boron (B) | N/A | Magnesium (Mg) | N/A | Sulfur (S) | N/A |
| Cadmium (Cd) | N/A | Manganese (Mn) | N/A | Tantalum (Ta) | N/A |
| Calcium (Ca) | N/A | Mercury (Hg) | N/A | Tellurium (Te) | N/A |
| Cerium (Ce) | N/A | Molybdenum (Mo) | N/A | Terbium (Tb) | N/A |
| Cesium (Cs) | N/A | Neodymium (Nd) | N/A | Thallium (Tl) | N/A |
| Chromium (Cr) | N/A | Nickel (Ni) | N/A | Thorium (Th) | N/A |
| Cobalt (Co) | N/A | Niobium (Nb) | N/A | Thulium (Tm) | N/A |
| Copper (Cu) | N/A | Osmium (Os) | N/A | Tin (Sn) | N/A |
| Dysprosium (Dy) | N/A | Palladium (Pd) | N/A | Titanium (Ti) | N/A |
| Erbium (Er) | N/A | Phosphorus (P) | N/A | Tungsten (W) | N/A |
| Europium (Eu) | N/A | Platinum (Pt) | N/A | Uranium (U) | N/A |
| Gadolinium (Gd) | N/A | Potassium (K) | N/A | Vanadium (V) | N/A |
| Gallium (Ga) | N/A | Praseodymium (Pr) | N/A | Ytterbium (Yb) | N/A |
| Germanium (Ge) | N/A | Rhenium (Re) | N/A | Yttrium (Y) | N/A |
| Gold (Au) | N/A | Rhodium (Rh) | N/A | Zinc (Zn) | N/A |
| Hafnium (Hf) | N/A | Rubidium (Rb) | N/A | Zirconium (Zr) | N/A |
| Holmium (Ho) | N/A | Ruthenium (Ru) | N/A | | |
| Indium (In) | N/A | Samarium (Sm) | N/A | | |
| Iridium (Ir) | N/A | Scandium (Sc) | N/A | | |

| Specification | Reference |
|---------------|-----------|
|---------------|-----------|

| | |
|---|--------------------|
| <p>Antimony ICP Standard, 10,000 ppm</p> <p>This standard is guaranteed to be stable and accurate provided the product is kept tightly capped and stored under normal laboratory conditions. Balances are calibrated using NIST traceable weights whose verification of maintenance and recalibration is documented per in-house Standard Operating Procedures. Class A glassware is also calibrated and routinely rechecked per in-house Standard Operating Procedures. Trace metal analyzed acids and Trace Metals Analyzed Water are used in the manufacture of this product. Triple cleaned containers are used in the manufacture of this product.</p> | <p>EPA (200.7)</p> |
|---|--------------------|

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
|-------------|---------------------|---------------------------------|

| | | |
|--------------------|----------------------------|------------------|
| <p>PSB10KW-100</p> | <p>100 mL natural LDPE</p> | <p>18 months</p> |
|--------------------|----------------------------|------------------|

Recommended Storage: 15°C - 30°C (59°F - 86°F)

This document is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.