

Certificate of Analysis

Ammonium Chloride, 2% (w/v)

Lot Number: 1207D73

Product Number: 624

Manufacture Date: JUL 21, 2022

Expiration Date: JUL 2024

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Ammonium Chloride	12125-02-9	ACS

Test	Specification	Result
Appearance	Colorless liquid	Passed

Specification	Reference
Ammonium chloride, 2% solution	TAPPI (T 618 cm-84)
Ammonium Chloride Solution	APHA (3500-Ca B)
Ammonium chloride, 2% solution	TAPPI (T 665 om-93)
Ammonium Chloride Solution (20 g/L)	ASTM (D 1783 A & B)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
624-1	4 L natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Jason Thomas (07/21/2022)

Operations Manager

This document is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.