

Certificate of Analysis

B S & W Solvent, Toluene Saturated with Water at 75°F

Lot Number: 2402E10

Product Number: SOD10

Manufacture Date: FEB 14, 2024

Expiration Date: FEB 2025

Name	CAS#	Grade
Toluene	108-88-3	ACS
Water	7732-18-5	ACS/ASTM/USP/EP

Test	Specification	Result
------	---------------	--------

Appearance Colorless liquid Passed

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
SOD10-1	4 L amber glass	12 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Jose Pena (02/14/2024)

Operations Manager

This document is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.