

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Peroxyacetic Acid, 3.5% (w/w)

Product Number: 5495

Other Identifying Product Numbers: 5495-16, 5495-32

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements	Precautionary Statements:
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Corrosive to Metals	Category 1	H290	P234, P390, P406
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501

Product Number: 5495 Page 1 of 13



RICCA CHEMICAL COMPANY®

Safety Data Sheet

2.2. GHS Label Elements

Pictograms:



Signal Word: Danger

Hazard Statements:

Hazard Number	Hazard Statement	
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H401	Toxic to aquatic life.	

Precautionary Statements:

Precautionary Number	Precautionary Statement	
P234	Keep only in original container.	
P260	Do not breathe fumes, mist, vapors, or spray.	
P264	Wash arms, hands and face thoroughly after handling.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection.	
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305+P351+P338	B IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and	
	easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER or physician.	
P321	1 Specific treatment (Wash areas of contact with water. If possible, wipe off areas of contact with dry	
	cloth before flushing with water).	
P363	Wash contaminated clothing before reuse.	
P390	Absorb spillage to prevent material damage.	
P405	Store locked up.	
P406	Store in corrosive resistant container with a resistant inner liner.	
P501	Dispose of contents in accordance with local, state, federal and international regulations.	

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: 5495 Page 2 of 13



RICCA CHEMICAL COMPANY®

Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight CAS Numb	er Weight%
Water	H₂O	18.01 g/mol 7732-18-5	89.54
Acetic Acid	CH₃COOH	60.05 g/mol 64-19-7	5.04
Peroxyacetic Acid	CH ₃ CO ₃ H	76.05 g/mol 79-21-0	4.47
Hydrogen Peroxide	H_2O_2	34.01 g/mol 7722-84-1	0.82
Sulfuric Acid	H ₂ SO ₄	98.07 g/mol 7664-93-9	0.13

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. May cause irritation, redness, pain, tearing and burns. Symptoms may include corneal ulceration and possible

damage to vision.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness,

and pain.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with large amounts of water. Do not induce vomiting.

Vomiting may cause further damage due to the corrosive nature of this product. Call a physician.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye damage. Warning! Corrosive. Avoid contact with skin, eyes, or clothing. If swallowed, do not induce vomiting. Give large quantity of water and call a physician. Wash areas of contact with plenty of water for 15 minutes. For eyes, get medical attention. EYE CONTACT: May cause irritation, redness, pain, tearing and burns. Symptoms may include corneal ulceration and possible damage to vision. SKIN CONTACT: May cause irritation, redness, and pain.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water. If possible, wipe off areas of contact with dry cloth before flushing with water). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Wash areas of contact with soap and water for at least 15 minutes. Call a physician if irritation develops. Dilute with large amounts of water. Do not induce vomiting. Vomiting may cause further damage due to the corrosive nature of this product. Call a physician.

Product Number: 5495 Page 3 of 13

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use flooding amounts of water on the surrounding fire. Do not use dry chemicals.

5.2. Specific Hazards Arising from the Substance or Mixture

Can react with oxidizing materials. Vapors may explode if ignited in an enclosed area.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and NIOSH-approved breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Cover with a reducer (Hypo, a Bisulfite or Ferrous salt but not carbon or strong reducing agents.) Mix well and spray with water. A Sulfite or Ferrous salt will require addition of some 3M Sulfuric Acid. Scoop slurry into container of water and neutralize. Flush to drain with excess water. Wash site with soap solution containing some reducer.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from physical damage. Keep in tightly closed containers in a cool, dry area.

Product Number: 5495 Page 4 of 13

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Countr	y Exposure Limit	Information Source
Acetic Acid (64-19-7)	TLV-TWA	USA	10 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Acetic Acid (64-19-7)	TLV-STEL	USA	15 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Acetic Acid (64-19-7)	TWA	USA	10 ppm TWA; 25 mg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Sulfuric Acid (7664-93-9)	TWA	USA	1 mg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Sulfuric Acid (7664-93-9)	TLV-TWA	USA	0.2 mg/m³ TWA (thoracic particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrogen Peroxide (7722-84-1)	TLV-TWA	USA	1 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrogen Peroxide (7722-84-1)	TWA	USA	1 ppm TWA; 1.4 mg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Peroxyacetic Acid (79-21-0)	TLV-STEL	USA	0.4 ppm STEL (inhalable fraction and vapor)	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

8.2. Exposure Controls

Engineering Controls: No specific controls are needed. Normal room ventilation is adequate.

Respiratory Protection: Normal room ventilation is adequate.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves. **Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

Product Number: 5495 Page **5** of **13**



SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: Approximately 0°C

Initial Boiling Point/Range: Approximately 100°C - Approximately 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.0

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage. This solution gradually decomposes at room temperature, and more rapidly as the temperature increases, losing available oxygen.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Combustible materials, alkalis, alcohols, iodides, lime water, sulfites, permanganates, organic compounds (such as wood, oil), acids, metals.

Product Number: 5495 Page 6 of 13

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

(Peroxyacetic Acid) LD50, Oral, Rat: 1540 uL/kg; LD50, Inhalation, Rat: 450mg/m3; LD50, Dermal, Rabbit: 1410 uL/kg, details not reported other than lethal dose values. Peroxyacetic Acid is investigated as a tumorigen.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water. If possible, wipe off areas of contact with dry cloth before flushing with water). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Product Number: 5495 Page **7** of **13**

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Product Number: 5495 Page 8 of 13



SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 1 L, 500 mL

UN Number: UN3265

Proper Shipping Name: Corrosive Liquid, Acidic, Organic, n.o.s. (Peroxyacetic Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 1 L, 500 mL

UN Number: UN3265

Proper Shipping Name: Corrosive Liquid, Acidic, Organic, n.o.s. (Peroxyacetic Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 1 L, 500 mL

UN Number: UN3265

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (peroxyacetic acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



Product Number: 5495 Page **9** of **13**



SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Sulfuric Acid (CAS # 7664-93-9): 1000 lb EPCRA RQ

Sulfuric Acid (CAS # 7664-93-9): 1000 lb TPQ

Hydrogen Peroxide (CAS # 7722-84-1): 1000 lb EPCRA RQ (concentration >52%)

Hydrogen Peroxide (CAS # 7722-84-1): 1000 lb TPQ (concentration >52%)

Peroxyacetic Acid (CAS # 79-21-0): 500 lb EPCRA RQ

Peroxyacetic Acid (CAS # 79-21-0): 500 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Acetic Acid (CAS # 64-19-7): 5000 lb final RQ; 2270 kg final RQ

Sulfuric Acid (CAS # 7664-93-9): 1000 lb final RQ; 454 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Sulfuric Acid (CAS # 7664-93-9): 1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

Peroxyacetic Acid (CAS # 79-21-0): 1.0 % de minimis concentration

15.5. Massachusetts Right-to-Know Substance List

Acetic Acid (CAS # 64-19-7): Present (including glacial)

Sulfuric Acid (CAS # 7664-93-9): Extraordinarily hazardous

Sulfuric Acid (CAS # 7664-93-9): Present

Hydrogen Peroxide (CAS # 7722-84-1): Extraordinarily hazardous

Peroxyacetic Acid (CAS # 79-21-0): Extraordinarily hazardous

15.6. Pennsylvania Right-to-Know Hazardous Substances

Acetic Acid (CAS # 64-19-7): Environmental hazard; Environmental hazard (water solutions)

Acetic Acid (CAS # 64-19-7): Present (including water solutions)

Sulfuric Acid (CAS # 7664-93-9): Environmental hazard

Sulfuric Acid (CAS # 7664-93-9): Environmental hazard (listed under Sulfuric acid)

Sulfuric Acid (CAS # 7664-93-9): Present

Sulfuric Acid (CAS # 7664-93-9): Present (listed under Sulfuric acid)

Hydrogen Peroxide (CAS # 7722-84-1): Environmental hazard (concentration >52%); Present

Hydrogen Peroxide (CAS # 7722-84-1): Present (concentration >52%)

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

Peroxyacetic Acid (CAS # 79-21-0): Environmental hazard; Present (diluted with 60% of Acetic acid; regulated under Peracetic acid, listed under

Peracetic acid)

Peroxyacetic Acid (CAS # 79-21-0): Present

Product Number: 5495 Page 10 of 13



15.7. New Jersey Worker and Community Right-to-Know Components

Acetic Acid (CAS # 64-19-7): corrosive

Acetic Acid (CAS # 64-19-7): sn 0004

Sulfuric Acid (CAS # 7664-93-9): carcinogen; corrosive; reactive - second degree

Sulfuric Acid (CAS # 7664-93-9): sn 1761

Sulfuric Acid (CAS # 7664-93-9): SN 1761 500 lb TPQ

Sulfuric Acid (CAS # 7664-93-9): sn 1762

Hydrogen Peroxide (CAS # 7722-84-1): corrosive; mutagen; reactive - third degree

Hydrogen Peroxide (CAS # 7722-84-1): sn 1015

Hydrogen Peroxide (CAS # 7722-84-1): SN 1015 500 lb TPQ (>52% concentration)

Peroxyacetic Acid (CAS # 79-21-0): corrosive; reactive - fourth degree

Peroxyacetic Acid (CAS # 79-21-0): sn 1482

Peroxyacetic Acid (CAS # 79-21-0): SN 1482 500 lb TPQ

15.8. California Proposition 65

Sulfuric Acid (CAS # 7664-93-9): "carcinogen, 3/14/2003" As Strong inorganic acid mists containing sulfuric acid [RR-03978-1] Sulfuric Acid (CAS # 7664-93-9): carcinogen, 3/14/2003

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Acetic Acid (CAS # 64-19-7): Present (DSL)

Acetic Acid (CAS # 64-19-7): Present (NDSL)

Sulfuric Acid (CAS # 7664-93-9): Present (DSL)

Hydrogen Peroxide (CAS # 7722-84-1): Present (DSL)

Water (CAS # 7732-18-5): Present (DSL)

Peroxyacetic Acid (CAS # 79-21-0): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Acetic Acid (CAS # 64-19-7): Present (ACTIVE)

Sulfuric Acid (CAS # 7664-93-9): Present (ACTIVE)

Hydrogen Peroxide (CAS # 7722-84-1): Present (ACTIVE)

Water (CAS # 7732-18-5): Present (ACTIVE)

Peroxyacetic Acid (CAS # 79-21-0): Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Acetic Acid (CAS # 64-19-7): 200-580-7

Acetic Acid (CAS # 64-19-7): 273-079-4

Sulfuric Acid (CAS # 7664-93-9): 231-639-5

Hydrogen Peroxide (CAS # 7722-84-1): 231-765-0

Water (CAS # 7732-18-5): 231-791-2

Peroxyacetic Acid (CAS # 79-21-0): 201-186-8

Product Number: 5495 Page 11 of 13



SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Toxic to aquatic life.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Avoid release to the environment. Wear protective gloves and eye protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water. If possible, wipe off areas of contact with dry cloth before flushing with water). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 3
Flammability: 0
Reactivity: 1
Special Hazard:



16.4. Document Revision

Last Revision Date: 2023-09-11

Product Number: 5495 Page 12 of 13

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: 5495 Page 13 of 13