



Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Passion Fruit (Natural)

Product Number: RCCT1000

Other Identifying Product Numbers: RCCT1000-100C6, RCCT1000-20C6, RCCT1000-750C6

1.2. Recommended Use and Restrictions on Use

Concentrated flavor and fragrance ingredient suitable for use in food products according to FDA GRAS guidelines

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA)

800-424-9300

CHEMTREC (International)

1+ 703-527-3887

Safety Data Sheet

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

Hazard Class	Category	Hazard Statements	Precautionary Statements:
Skin Corrosion / Irritation	Category 2	H315	P264, P280, P302+P352, P321, P332+P313, P362
Eye Damage / Irritation	Category 2	H319	P264, P280, P305+P351+P338, P337+P313
Skin Sensitizer	Category 1	H317	P261, P272, P280, P302+P352, P332+P313, P321, P363, P501
Flammable Liquids	Category 3	H226	P210, P233, P240, P241, P242, P243, P280, P303+P361+P353, P370+P378, P403+P235, P501
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 2	H411	P273, P391, P501

2.2. GHS Label Elements

Pictograms:



Signal Word: **Warning**

Hazard Statements:

Hazard Number	Hazard Statement
H226	Flammable liquid and vapor.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet

Precautionary Statements:

Precautionary Number	Precautionary Statement
P210	Keep away from heat, sparks and open flame. No smoking.
P233	Keep container tightly closed.
P240	Ground container and receiving equipment.
P241	Use explosion-proof equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (Wash areas of contact with water.).
P332+P313	If skin irritation occurs: Get medical attention.
P337+P313	If eye irritation persists: Get medical attention.
P362	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
n-Hexyl acetate	C ₈ H ₁₆ O ₂	144.21 g/mol	142-92-7	15 - 40
Isobutyl Acetate	C ₆ H ₁₂ O ₂	116.15 g/mol	110-19-0	10 - 30
cis-3-Hexenyl Butyrate	C ₁₀ H ₁₈ O ₂	170.24 g/mol	16491-36-4	10 - 30
Isoamyl acetate	C ₇ H ₁₄ O ₂	130.18 g/mol	123-92-2	7 - 13
Benzyl Alcohol	C ₆ H ₅ CH ₂ OH	108.13 g/mol	100-51-6	7 - 13
cis-3-Hexenol	C ₆ H ₁₂ O	100.15 g/mol	928-96-1	5 - 10
Ethyl 2-methylbutyrate	C ₇ H ₁₄ O ₂	130.18 g/mol	7452-79-1	5 - 10
Limonene	C ₁₀ H ₁₆	136.23 g/mol	5989-27-5	3 - 7
Myrcene	C ₁₀ H ₁₆	136.23 g/mol	123-35-3	3 - 7
Linalool	C ₁₀ H ₁₈ O	154.24 g/mol	78-70-6	1 - 5
n-Butyl Acetate	C ₆ H ₁₂ O ₂	116.15 g/mol	123-86-4	0.5 - 1.5
γ-Decalactone	C ₁₀ H ₁₈ O ₂	170.24 g/mol	706-14-9	0.5 - 1.5
L-Menthol	C ₁₀ H ₂₀ O	156.26 g/mol	2216-51-5	0.1 - 1

Exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops.

Inhalation: Not expected to require first aid. If necessary, remove to fresh air.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause skin irritation.

Ingestion: Dilute immediately with water or milk. Do not induce vomiting. Call a physician if necessary.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. EYE CONTACT: May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva. SKIN CONTACT: May cause skin irritation. INHALATION: May cause irritation. INGESTION: May cause nausea, diarrhea.

4.3. Medical Attention or Special Treatment Needed

Specific treatment (Wash areas of contact with water.). Irrigate immediately with large quantity of water for at least 15 minutes. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Wash areas of contact with soap and water for at least 15 minutes. Dilute immediately with water or milk. Do not induce vomiting. Call a physician if necessary.



Safety Data Sheet

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Carbon dioxide, dry chemical, alcohol foam, water spray.

5.2. Specific Hazards Arising from the Substance or Mixture

Flammable liquid and vapor. Vapors can flow along surfaces to distant ignition source and flashback. Use water spray to blanket fire, cool fire exposed containers, and to flush non-ignited spills or vapors away from fire.

5.3. Special Protective Equipment for Firefighters

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Remove all sources of ignition. Contain spill. Absorb with suitable inert material (vermiculite, dry sand, etc) and place in a chemical waste container for proper disposal in an approved waste disposal facility. Ventilate area of spill. Have extinguishing agent available in case of fire. Use non-sparking tools and equipment. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in a well-ventilated place. Keep cool. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Store in secure, flammable storage area away from all sources of ignition. Empty containers may be hazardous since they retain product residues.

Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Isobutyl Acetate (110-19-0)	TLV-STEL	USA	150 ppm STEL (listed under Butyl acetates, all isomers)	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Isobutyl Acetate (110-19-0)	TLV-TWA	USA	50 ppm TWA (listed under Butyl acetates, all isomers)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Isobutyl Acetate (110-19-0)	TWA	USA	150 ppm TWA; 700 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Isobutyl Acetate (110-19-0)	TLV-STEL	USA	150 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Isobutyl Acetate (110-19-0)	TLV-TWA	USA	50 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
n-Butyl Acetate (123-86-4)	TLV-TWA	USA	50 ppm TWA (listed under Butyl acetates, all isomers)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
n-Butyl Acetate (123-86-4)	TWA	USA	150 ppm TWA; 710 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
n-Butyl Acetate (123-86-4)	TLV-STEL	USA	150 ppm STEL (listed under Butyl acetates, all isomers)	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
n-Butyl Acetate (123-86-4)	TLV-STEL	USA	150 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
n-Butyl Acetate (123-86-4)	TLV-TWA	USA	50 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Isoamyl acetate (123-92-2)	TWA	USA	100 ppm TWA; 525 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Isoamyl acetate (123-92-2)	TLV-TWA	USA	50 ppm TWA (listed under Pentyl acetate, all isomers)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Isoamyl acetate (123-92-2)	TLV-STEL	USA	100 ppm STEL (listed under Pentyl acetate, all isomers)	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

8.2. Exposure Controls

Engineering Controls: A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limit.

Safety Data Sheet

Respiratory Protection: Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves, PVA or Nitrile rubber.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn. Chemical resistant gloves, PVA or Nitrile rubber. Safety glasses or goggles.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Clear, Colorless to Pale Yellow Liquid

Physical State: Liquid

Odor: Passion Fruit

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: Data not available.

Initial Boiling Point/Range: Data not available.

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 0.88

Solubility: Data not available.

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.



Safety Data Sheet

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

May form flammable/explosive vapour-air mixture.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Direct sunlight, extremely high or low temperatures, heat, sparks, open flame, strong acids and strong bases.

10.4. Hazardous Decomposition Products

Carbon oxides may form upon decomposition.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

LD50, Oral (calculated): 5015 mg/kg

Contains ingredients with unknown oral toxicity.

Skin Corrosion and Irritation:

Causes skin irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. Specific treatment (Wash areas of contact with water.). If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

Serious Eye Damage and Irritation:

Causes serious eye irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Respiratory Sensitization:

Not applicable.

Safety Data Sheet

Skin Sensitization:

May cause an allergic skin reaction. Avoid breathing fumes, mist, vapors, or spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Specific treatment (Wash areas of contact with water.). Wash contaminated clothing before reuse. Dispose of contents in accordance with local, state, federal and international regulations.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.



Safety Data Sheet

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 0.75 K, 1 K, 20 g, 100 g

UN Number: UN2319

Proper Shipping Name: Terpene hydrocarbons, n.o.s.

Hazard Class: 3

Packing Group: III

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 0.75 K, 1 K, 20 g, 100 g

UN Number: UN2319

Proper Shipping Name: Terpene hydrocarbons, n.o.s.

Hazard Class: 3

Packing Group: III

Hazard Label(s):



Safety Data Sheet

14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 0.75 K, 1 K, 20 g, 100 g

UN Number: UN2319

Proper Shipping Name: TERPENE HYDROCARBONS, N.O.S.

Hazard Class: 3

Packing Group: III

Hazard Label(s):



SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Not listed.

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Isobutyl Acetate (CAS # 110-19-0): 5000 lb final RQ (listed under Butyl acetate); 2270 kg final RQ (listed under Butyl acetate)

n-Butyl Acetate (CAS # 123-86-4): 5000 lb final RQ (listed under Butyl acetate); 2270 kg final RQ (listed under Butyl acetate)

Isoamyl acetate (CAS # 123-92-2): 5000 lb final RQ (listed under Amyl acetate); 2270 kg final RQ (listed under Amyl acetate)

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Not listed.

15.5. Massachusetts Right-to-Know Substance List

Benzyl Alcohol (CAS # 100-51-6): Present

Isobutyl Acetate (CAS # 110-19-0): Present

n-Butyl Acetate (CAS # 123-86-4): Present

Isoamyl acetate (CAS # 123-92-2): Present

15.6. Pennsylvania Right-to-Know Hazardous Substances

Benzyl Alcohol (CAS # 100-51-6): Present

Isobutyl Acetate (CAS # 110-19-0): Environmental hazard

Isobutyl Acetate (CAS # 110-19-0): Present

n-Butyl Acetate (CAS # 123-86-4): Environmental hazard

n-Butyl Acetate (CAS # 123-86-4): Present

Isoamyl acetate (CAS # 123-92-2): Environmental hazard

Isoamyl acetate (CAS # 123-92-2): Present

cis-3-Hexenol (CAS # 928-96-1): Present

Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Isobutyl Acetate (CAS # 110-19-0): flammable - third degree
Isobutyl Acetate (CAS # 110-19-0): sn 1041
n-Butyl Acetate (CAS # 123-86-4): flammable - third degree
n-Butyl Acetate (CAS # 123-86-4): sn 1329
Isoamyl acetate (CAS # 123-92-2): flammable - third degree
Isoamyl acetate (CAS # 123-92-2): sn 1038
Limonene (CAS # 5989-27-5): sn 0792

15.8. California Proposition 65

Myrcene (CAS # 123-35-3): carcinogen, 3/27/2015

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Benzyl Alcohol (CAS # 100-51-6): Present (DSL)
Isobutyl Acetate (CAS # 110-19-0): Present (DSL)
Myrcene (CAS # 123-35-3): Present (DSL)
n-Butyl Acetate (CAS # 123-86-4): Present (DSL)
Isoamyl acetate (CAS # 123-92-2): Present (DSL)
n-Hexyl acetate (CAS # 142-92-7): Present (DSL)
cis-3-Hexenyl Butyrate (CAS # 16491-36-4): Present (DSL)
L-Menthol (CAS # 2216-51-5): Present (DSL)
Limonene (CAS # 5989-27-5): Present (DSL)
γ-Decalactone (CAS # 706-14-9): Present (DSL)
Ethyl 2-methylbutyrate (CAS # 7452-79-1): Present (DSL)
Linalool (CAS # 78-70-6): Present (DSL)
cis-3-Hexenol (CAS # 928-96-1): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Safety Data Sheet

Benzyl Alcohol (CAS # 100-51-6): Present (ACTIVE)
Isobutyl Acetate (CAS # 110-19-0): Present (ACTIVE)
Myrcene (CAS # 123-35-3): Present (ACTIVE)
n-Butyl Acetate (CAS # 123-86-4): Present (ACTIVE)
Isoamyl acetate (CAS # 123-92-2): Present (ACTIVE)
n-Hexyl acetate (CAS # 142-92-7): Present (ACTIVE)
cis-3-Hexenyl Butyrate (CAS # 16491-36-4): Present (ACTIVE)
L-Menthol (CAS # 2216-51-5): Present (ACTIVE)
Limonene (CAS # 5989-27-5): Present (ACTIVE)
γ-Decalactone (CAS # 706-14-9): Present (ACTIVE)
Ethyl 2-methylbutyrate (CAS # 7452-79-1): Present (ACTIVE)
Linalool (CAS # 78-70-6): Present (ACTIVE)
cis-3-Hexenol (CAS # 928-96-1): Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Benzyl Alcohol (CAS # 100-51-6): 202-859-9
Isobutyl Acetate (CAS # 110-19-0): 203-745-1
Myrcene (CAS # 123-35-3): 204-622-5
n-Butyl Acetate (CAS # 123-86-4): 204-658-1
Isoamyl acetate (CAS # 123-92-2): 204-662-3
n-Hexyl acetate (CAS # 142-92-7): 205-572-7
cis-3-Hexenyl Butyrate (CAS # 16491-36-4): 240-553-7
L-Menthol (CAS # 2216-51-5): 218-690-9
Limonene (CAS # 5989-27-5): 205-341-0
Limonene (CAS # 5989-27-5): 227-813-5
γ-Decalactone (CAS # 706-14-9): 211-892-8
Ethyl 2-methylbutyrate (CAS # 7452-79-1): 231-225-4
Linalool (CAS # 78-70-6): 201-134-4
Linalool (CAS # 78-70-6): 245-083-6
cis-3-Hexenol (CAS # 928-96-1): 213-192-8

Safety Data Sheet

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

Flammable liquid and vapor. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye protection.

IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (Wash areas of contact with water.). If skin irritation occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Collect spillage.

Store in a well-ventilated place. Keep cool.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 1
Flammability: 2
Reactivity: 0
Special Hazard:



16.4. Document Revision

Last Revision Date: 2024-01-31

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.