Classified According to OSHA Hazard Communication Standard (HCS)

### **SECTION 1: Identification**

#### 1.1. Product Identifier

**Trade Name or Designation:** GFAA Instrument Calibration Standard 1 (CLP)

Product Number: RGINSCL1
Other Identifying Product Numbers: RGINSCL1-50

#### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

### 1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

**Telephone:** 888-467-4222

### 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

Product Number: RGINSCL1 Page 1 of 27



# **Safety Data Sheet**

## SECTION 2: Hazard(s) Identification

### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements	Precautionary Statements:
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320,
			P403+P233, P405, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Corrosive to Metals	Category 1	H290	P234, P390, P406
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 2	H411	P273, P391, P501

### 2.2. GHS Label Elements

#### Pictograms:







Signal Word: Danger

#### **Hazard Statements:**

<b>Hazard Number</b>	Hazard Statement
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Product Number: RGINSCL1 Page 2 of 27

### **Precautionary Statements:**

Precautionary Number	Precautionary Statement
P234	Keep only in original container.
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P320	Specific treatment is urgent (Wash areas of contact with water immediately).
P321	Specific treatment (Wash areas of contact with water immediately).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

### 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: RGINSCL1 Page 3 of 27



# **Safety Data Sheet**

### **SECTION 3: Composition / Information on Ingredients**

### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H <sub>2</sub> O	18.01 g/mol	7732-18-5	95.11
Nitric Acid	HNO <sub>3</sub>	63.01 g/mol	7697-37-2	4.85
Antimony Trioxide	Sb <sub>2</sub> O <sub>3</sub>	291.51 g/mol	1309-64-4	< 0.1
Selenium	Se	78.95 g/mol	7782-49-2	< 0.1
Arsenic	As	74.92 g/mol	7440-38-2	< 0.1
Thallium	TI	204.38 g/mol	7440-28-0	< 0.1
Lead	Pb	207.2 g/mol	7439-92-1	< 0.1
Hydrofluoric Acid	HF	20.00 g/mol	7664-39-3	< 0.1
Cadmium	Cd	112.41 g/mol	7440-43-9	< 0.1

### **SECTION 4: First-Aid Measures**

#### 4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. May cause irritation, redness, pain, and tearing.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness

and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a

physician if necessary.

### 4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. Contains low levels of known and suspected carcinogens. Corrosive Liquid. Avoid contact with skin, eyes, and clothing. Avoid breathing vapor. If swallowed, do not induce vomiting. Dilute with water and call a physician. Wash areas of contact with plenty of water. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

### 4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Specific treatment (Wash areas of contact with water immediately). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

Product Number: RGINSCL1 Page 4 of 27

### **SECTION 5: Fire-Fighting Measures**

### 5.1. Extinguishing Media

Use water or water spray.

### 5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas.

### 5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

### **SECTION 6: Accidental Release Measures**

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

### 6.2. Cleanup and Containment Methods and Materials

Do not flush to sewer. Absorb with suitable material. Containerize for disposal with a hazardous waste disposal facility. Dispose of in accordance with local regulations.

## **SECTION 7: Handling and Storage**

### 7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Product Number: RGINSCL1 Page 5 of 27



# **Safety Data Sheet**

## **SECTION 8: Exposure Controls / Personal Protection**

### **8.1 Control Parameters**

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	0.02 mg/m³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TWA	USA	0.5 mg/m³ TWA (as Sb)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	0.5 mg/m³ TWA (as Sb)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Product Number: RGINSCL1 Page 6 of 27



# **Safety Data Sheet**

Lead (7439-92-1)	PEL	USA	30 μg/m³ Action Level (See 29 CFR 1910.1025); 50	U.S OSHA - Specifically Regulated Chemicals with PELs
			μg/m³ TWA	
Lead (7439-92-1)	TLV-TWA	USA	0.05 mg/m <sup>3</sup> TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Lead (7439-92-1)	TWA	USA	50 μg/m³ TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
,			(inhalable particulate	Weighted Averages (TLV-TWA)
			matter, as TI)" As Thallium	
			compounds [RR-00575-4]	

Product Number: RGINSCL1 Page 7 of 27



# **Safety Data Sheet**

(inhalahla narticulata	
(inhalable particulate matter, as TI)" As Thallium	Weighted Averages (TLV-TWA)
·	
	ACGIH - Threshold Limit Values - Time
•	Weighted Averages (TLV-TWA)
·	Weighted / Weilages (TEV TW/V)
·	
<u>.                                 </u>	ACGIH - Threshold Limit Values - Time
•	Weighted Averages (TLV-TWA)
·	,
compounds [RR-00575-4]	
0.02 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
particulate matter)	Weighted Averages (TLV-TWA)
"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
(inhalable particulate	Weighted Averages (TLV-TWA)
matter, as TI)" As Thallium	
compounds [RR-00575-4]	
"10 μg/m³ TWA (as As)" As	U.S OSHA - Final PELs - Time
Arsenic, inorganic	Weighted Averages (TWAs)
. ,	ACGIH - Threshold Limit Values - Time
•	Weighted Averages (TLV-TWA)
	U.S OSHA - Specifically Regulated
· · · · · · · · · · · · · · · · · · ·	Chemicals with PELs
,	
•	
	II.O. OOIIA Orașificalle Danislatad
	U.S OSHA - Specifically Regulated
•	Chemicals with PELs
` ,	
•	
	U.S OSHA - Final PELs - Time
` ` '	Weighted Averages (TWAs)
compounds [RR-00065-7]	vveigilieu Aveiages (T vvAs)
	0.02 mg/m³ TWA (inhalable particulate matter) "0.02 mg/m³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4] "10 µg/m³ TWA (as As)" As

Product Number: RGINSCL1 Page 8 of 27



# **Safety Data Sheet**

Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)" As Arsenic inorganic	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
			compounds [RR-00065-7]	Weighted Averages (TEV-TWA)
Arsenic (7440-38-2)	TWA	USA	"10 μg/m³ TWA (as As)" As	U.S OSHA - Final PELs - Time
			Arsenic, inorganic	Weighted Averages (TWAs)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)"	ACGIH - Threshold Limit Values - Time
			As Arsenic inorganic	Weighted Averages (TLV-TWA)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	PEL	USA	"10 μg/m³ TWA (See 29	U.S OSHA - Specifically Regulated
			CFR 1910.1018; except	Chemicals with PELs
			Arsine, as As); 5 μg/m <sup>3</sup>	
			Action Level (as As)" As	
			Inorganic arsenic	
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	PEL	USA	"10 μg/m³ TWA (See 29	U.S OSHA - Specifically Regulated
			CFR 1910.1018; except	Chemicals with PELs
			Arsine, as As); 5 μg/m <sup>3</sup>	
			Action Level (as As)" As	
			Inorganic arsenic	
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m3 TWA (as As)"	ACGIH - Threshold Limit Values - Time
			As Arsenic inorganic	Weighted Averages (TLV-TWA)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TWA	USA	"10 μg/m³ TWA (as As)" As	U.S OSHA - Final PELs - Time
			Arsenic, inorganic	Weighted Averages (TWAs)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	PEL	USA	"10 μg/m³ TWA (See 29	U.S OSHA - Specifically Regulated
			CFR 1910.1018; except	Chemicals with PELs
			Arsine, as As); 5 μg/m <sup>3</sup>	
			Action Level (as As)" As	
			Inorganic arsenic	
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)"	ACGIH - Threshold Limit Values - Time
			As Arsenic inorganic	Weighted Averages (TLV-TWA)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TWA	USA	"10 μg/m³ TWA (as As)" As	U.S OSHA - Final PELs - Time
,			Arsenic, inorganic	Weighted Averages (TWAs)
			compounds [RR-00065-7]	

Product Number: RGINSCL1 Page 9 of 27



# **Safety Data Sheet**

Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)"	ACGIH - Threshold Limit Values - Time
			As Arsenic inorganic	Weighted Averages (TLV-TWA)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TWA	USA	"10 μg/m³ TWA (as As)" As	U.S OSHA - Final PELs - Time
			Arsenic, inorganic	Weighted Averages (TWAs)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	PEL	USA	"10 μg/m³ TWA (See 29	U.S OSHA - Specifically Regulated
			CFR 1910.1018; except	Chemicals with PELs
			Arsine, as As); 5 μg/m <sup>3</sup>	
			Action Level (as As)" As	
			Inorganic arsenic	
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TWA	USA	"10 μg/m³ TWA (as As)" As	U.S OSHA - Final PELs - Time
			Arsenic, inorganic	Weighted Averages (TWAs)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)"	ACGIH - Threshold Limit Values - Time
			As Arsenic inorganic	Weighted Averages (TLV-TWA)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	PEL	USA	"10 μg/m³ TWA (See 29	U.S OSHA - Specifically Regulated
			CFR 1910.1018; except	Chemicals with PELs
			Arsine, as As); 5 μg/m <sup>3</sup>	
			Action Level (as As)" As	
			Inorganic arsenic	
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	PEL	USA	"10 μg/m³ TWA (See 29	U.S OSHA - Specifically Regulated
			CFR 1910.1018; except	Chemicals with PELs
			Arsine, as As); 5 μg/m <sup>3</sup>	
			Action Level (as As)" As	
			Inorganic arsenic	
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)"	ACGIH - Threshold Limit Values - Time
			As Arsenic inorganic	Weighted Averages (TLV-TWA)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TWA	USA	"10 μg/m³ TWA (as As)" As	U.S OSHA - Final PELs - Time
			Arsenic, inorganic	Weighted Averages (TWAs)
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TWA	USA	"10 μg/m³ TWA (as As)" As	U.S OSHA - Final PELs - Time
			Arsenic, inorganic	Weighted Averages (TWAs)
			compounds [RR-00065-7]	

Product Number: RGINSCL1 Page 10 of 27



# **Safety Data Sheet**

Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	PEL	USA	"10 µg/m³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	TLV-TWA	USA	0.01 mg/m³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	PEL	USA	"10 µg/m³ TWA (See 29 CFR 1910.1018; except Arsine, as As); 5 µg/m³ Action Level (as As)" As Inorganic arsenic compounds [RR-00065-7]	U.S OSHA - Specifically Regulated Chemicals with PELs
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TWA	USA	"10 µg/m³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs

Product Number: RGINSCL1 Page 11 of 27



# **Safety Data Sheet**

Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd);	ACGIH - Threshold Limit Values - Time
			0.002 mg/m <sup>3</sup> TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As	
			Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd);	ACGIH - Threshold Limit Values - Time
			0.002 mg/m <sup>3</sup> TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As	
			Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
			1910.1027, as Cd); 2.5	Chemicals with PELs
			μg/m³ Action Level (as Cd)"	
			As Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
			1910.1027, as Cd); 2.5	Chemicals with PELs
			μg/m³ Action Level (as Cd)"	
			As Cadmium compounds	
0   1   (7110 10 0)	TI \ / T\A/A	1104	[RR-00559-4]	ACOULT Three hold I will Value Tree
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd);	ACGIH - Threshold Limit Values - Time
			0.002 mg/m³ TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As	
			Cadmium compounds	
Cadmium (7440-43-9)	PEL	USA	[RR-00559-4] "5 µg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
Jaumum (7440-43-9)	FEL	USA	1910.1027, as Cd); 2.5	Chemicals with PELs
			μg/m³ Action Level (as Cd)"	Chemicals with LLS
			As Cadmium compounds	
			[RR-00559-4]	
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd);	ACGIH - Threshold Limit Values - Time
		50, .	0.002 mg/m³ TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	- g
			matter, as Cd)" As	
			Cadmium compounds	
			[RR-00559-4]	

Product Number: RGINSCL1 Page 12 of 27



# **Safety Data Sheet**

Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs

Product Number: RGINSCL1 Page 13 of 27



# **Safety Data Sheet**

Cadmium (7440-43-9)  Cadmium (7440-43-9)  Cadmium (7440-43-9)	PEL	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4] 5 µg/m³ TWA (See 29 CFR 1910.1027); 2.5 µg/m³ Action Level	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)  U.S OSHA - Specifically Regulated Chemicals with PELs  ACGIH - Threshold Limit Values - Time
Caumum (1440-43-3)	TLV-TWA	USA	0.01 mg/m³ TWA; 0.002 mg/m³ TWA (respirable particulate matter)	Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL-Ceiling	USA	0.3 mg/m³ Ceiling (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect, fume); 0.6 mg/m³ Ceiling (applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect, dust)	U.S OSHA - Final PELs - Ceiling Limits
Cadmium (7440-43-9)	TWA	USA	5 μg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA (respirable particulate matter, as Cd)" As Cadmium compounds [RR-00559-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs
Cadmium (7440-43-9)	PEL	USA	"5 μg/m³ TWA (See 29 CFR 1910.1027, as Cd); 2.5 μg/m³ Action Level (as Cd)" As Cadmium compounds [RR-00559-4]	U.S OSHA - Specifically Regulated Chemicals with PELs

Product Number: RGINSCL1 Page 14 of 27



# **Safety Data Sheet**

Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd); 0.002 mg/m³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As Cadmium compounds	
			[RR-00559-4]	
Lhydroffueric Acid (7664-20-2)	TWA	USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As	U.S OSHA - Final PELs - Time
Hydrofluoric Acid (7664-39-3)	IVVA	USA	Fluorides [RR-02792-9]	
Hudroffusia Asid (7004.00.0)	TLV-TWA	USA	"2.5 mg/m³ TWA (as F)" As	Weighted Averages (TWAs)  ACGIH - Threshold Limit Values - Time
Hydrofluoric Acid (7664-39-3)	ILV-IVVA	USA		
III deaff etc A 22 (7004 00 0)	TLV-TWA	USA	Fluorides [RR-02792-9]	Weighted Averages (TLV-TWA)  ACGIH - Threshold Limit Values - Time
Hydrofluoric Acid (7664-39-3)	ILV-IVVA	USA	0.5 ppm TWA (as F)	
	T\\\\	LICA	2 nam TWA (as E)	Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	3 ppm TWA (as F)	U.S OSHA - Final PELs - Time
	TIV Osilis s	1104	0 Ocilia ( E)	Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	2 ppm Ceiling (as F)	ACGIH - Threshold Limit Values -
	TI \ / T\A / A	1104	0.5 / 2.T\A\A\ / 5\	Ceilings (TLV-C)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	2.5 mg/m³ TWA (as F)	ACGIH - Threshold Limit Values - Time
H. Josff, etc. Actd (7004,00,0)	TIALA	1104	0.5 / 2.714/4 / 5\	Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	2.5 mg/m <sup>3</sup> TWA (as F)	U.S OSHA - Final PELs - Time
N:: A : 1 (7007 07 0)	T14/A	1104	0 7044 5 / 0.7044	Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA; 5 mg/m³ TWA	U.S OSHA - Final PELs - Time
Nu. 1 (7007 07 0)	T1 > / T1 + / 4			Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values -
				Short Term Exposure Limits
				(TLV-STEL)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)"	ACGIH - Threshold Limit Values - Time
			As Selenium compounds	Weighted Averages (TLV-TWA)
			[RR-00612-2]	
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)"	U.S OSHA - Final PELs - Time
			As Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)"	ACGIH - Threshold Limit Values - Time
			As Selenium compounds	Weighted Averages (TLV-TWA)
			[RR-00612-2]	
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m <sup>3</sup> TWA (as Se)"	U.S OSHA - Final PELs - Time
			As Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	

Product Number: RGINSCL1 Page 15 of 27



# **Safety Data Sheet**

Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)"	ACGIH - Threshold Limit Values - Time
			As Selenium compounds [RR-00612-2]	Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)"	U.S OSHA - Final PELs - Time
			As Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)"	U.S OSHA - Final PELs - Time
			As Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)"	ACGIH - Threshold Limit Values - Time
			As Selenium compounds	Weighted Averages (TLV-TWA)
	T1 > / T14/4	1104	[RR-00612-2]	1000 7
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)"	ACGIH - Threshold Limit Values - Time
			As Selenium compounds	Weighted Averages (TLV-TWA)
	<del>-</del> 14/4	1104	[RR-00612-2]	110 00UA E: 18EL T
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)"	U.S OSHA - Final PELs - Time
			As Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)"	U.S OSHA - Final PELs - Time
			As Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	1000 7
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)"	ACGIH - Threshold Limit Values - Time
			As Selenium compounds	Weighted Averages (TLV-TWA)
			[RR-00612-2]	
Selenium (7782-49-2) Selenium (7782-49-2)	TLV-TWA	USA	0.2 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
	<del>-</del> 1474			Weighted Averages (TLV-TWA)
	TWA	USA	"0.2 mg/m³ TWA (as Se)"	U.S OSHA - Final PELs - Time
			As Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	100W T
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)"	ACGIH - Threshold Limit Values - Time
			As Selenium compounds [RR-00612-2]	Weighted Averages (TLV-TWA)

### 8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. No specific controls are needed. Normal room ventilation is

adequate.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate.

**Skin Protection:** Wear protective gloves and eye protection. Chemical resistant gloves. **Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

Product Number: RGINSCL1 Page 16 of 27



### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

### **SECTION 9: Physical and Chemical Properties**

### 9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: Data not available.

Initial Boiling Point/Range: Approximately 100°C - Approximately 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.03

Solubility: Miscible

Partition Coefficient: Data not available.

**Auto-Ignition Temperature:** Data not available.

**Decomposition Temperature:** Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

### **SECTION 10: Stability and Reactivity**

### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

#### 10.2. Possibility of Hazardous Reactions

Data not available.

Product Number: RGINSCL1 Page 17 of 27

### 10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Strong bases, metallic powders.

### 10.4. Hazardous Decomposition Products

Will not occur.

### **SECTION 11: Toxicological Information**

### 11.1. Information on Toxicological Effects

### **Acute Toxicity - Oral Exposure:**

Not applicable.

#### **Acute Toxicity - Dermal Exposure:**

Not applicable.

#### **Acute Toxicity - Inhalation Exposure:**

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Acute Toxicity - Other Information:**

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), details of toxic effects not reported other than lethal dose value.

#### Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

#### **Respiratory Sensitization:**

Not applicable.

#### Skin Sensitization:

Not applicable.

#### Germ Cell Mutagenicity:

Not applicable.

#### Carcinogenicity:

Not applicable.

Product Number: RGINSCL1 Page 18 of 27

### **Reproductive Toxicity:**

Not applicable.

### **Specific Target Organ Toxicity from Single Exposure:**

Not applicable.

### **Specific Target Organ Toxicity from Repeated Exposure:**

Not applicable.

#### **Aspiration Hazard:**

Not applicable.

#### **Additional Toxicology Information:**

Data not available.

### **SECTION 12: Ecological Information**

#### 12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations. Toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

### 12.2. Persistence and Degradability

Data not available.

#### 12.3. Bioaccumulative Potential

Data not available.

### 12.4. Mobility in Soil

Data not available.

### 12.5. Other Adverse Ecological Effects

Data not available.

## **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Data not available.

Product Number: RGINSCL1 Page 19 of 27



### **SECTION 14: Transportation Information**

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 50 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 50 mL

UN Number: UN3264

**Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group:

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 50 mL

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



Product Number: RGINSCL1 Page 20 of 27

### **SECTION 15: Regulatory Information**

### 15.1. Occupational Safety and Health Administration (OSHA) Hazards

Lead (CAS # 7439-92-1): 30 μg/m3 Action Level (See 29 CFR 1910.1025); 50 μg/m3 TWA (See 29 CFR 1910.1025)

Arsenic (CAS # 7440-38-2): "10 μg/m3 TWA (See 29 CFR 1910.1018, except Arsine, as As); 5 μg/m3 Action Level (See 29 CFR 1910.1018, except Arsine, as As)" As Inorganic arsenic compounds [RR-00065-7]

Cadmium (CAS # 7440-43-9): "5  $\mu$ g/m3 TWA (See 29 CFR 1910.1027, as Cd); 2.5  $\mu$ g/m3 Action Level (as Cd)" As Cadmium compounds IRR-00559-41

Cadmium (CAS # 7440-43-9): 5 μg/m3 TWA (See 29 CFR 1910.1027); 2.5 μg/m3 Action Level

### 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb EPCRA RQ Hydrofluoric Acid (CAS # 7664-39-3): 100 lb TPQ Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

### 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Antimony Trioxide (CAS # 1309-64-4): 1000 lb final RQ; 454 kg final RQ

Lead (CAS # 7439-92-1): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m)

Thallium (CAS # 7440-28-0): 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m); 454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m)

Arsenic (CAS # 7440-38-2): 1 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is  $>100 \mu m$ ); 0.454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is  $>100 \mu m$ )

Arsenic (CAS # 7440-38-2): 1 lb final RQ; 0.454 kg final RQ

Cadmium (CAS # 7440-43-9): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is  $>100 \mu m$ ); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is  $>100 \mu m$ )

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb final RQ; 45.4 kg final RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

Selenium (CAS # 7782-49-2): 100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m)

Product Number: RGINSCL1 Page 21 of 27



### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Antimony Trioxide (CAS # 1309-64-4): "1.0 % de minimis concentration (includes any unique chemical substance that contains Antimony as part of that chemical's infrastructure, listed under Chemical Category N010)" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): 1.0 % de minimis concentration (includes any unique chemical substance that contains Antimony as part of that chemical's infrastructure, listed under Chemical Category N010)

Lead (CAS # 7439-92-1): 0.1 % Supplier notification limit; 0.1 % de minimis concentration (when contained in stainless steel, brass, or bronze) Lead (CAS # 7439-92-1): 100 lb RT (this lower threshold does not apply to lead when it is contained in stainless steel, brass or bronze alloy) Thallium (CAS # 7440-28-0): "1.0 % de minimis concentration (includes any unique chemical substance that contains Thallium as part of that chemical's infrastructure, listed under Chemical Category N760)" As Thallium compounds [RR-00575-4]

Thallium (CAS # 7440-28-0): 1.0 % de minimis concentration

Arsenic (CAS # 7440-38-2): "0.1 % de minimis concentration (includes any unique chemical substance that contains Arsenic as part of that chemical's infrastructure, listed under Chemical Category N020)" As Arsenic, inorganic compounds [RR-00065-7]

Arsenic (CAS # 7440-38-2): 0.1 % de minimis concentration

Cadmium (CAS # 7440-43-9): "0.1 % de minimis concentration (includes any unique chemical substance that contains Cadmium as part of that chemical's infrastructure, listed under Chemical Category N078)" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): 0.1 % de minimis concentration

Hydrofluoric Acid (CAS # 7664-39-3): 1.0 % de minimis concentration

Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration

Selenium (CAS # 7782-49-2): "1.0 % de minimis concentration (includes any unique chemical substance that contains Selenium as part of that chemical's infrastructure, listed under Chemical Category N725)" As Selenium compounds [

### 15.5. Massachusetts Right-to-Know Substance List

Antimony Trioxide (CAS # 1309-64-4): Present

Lead (CAS # 7439-92-1): Teratogen Thallium (CAS # 7440-28-0): Present

Arsenic (CAS # 7440-38-2): Carcinogen; Extraordinarily hazardous Cadmium (CAS # 7440-43-9): Carcinogen; Extraordinarily hazardous Hydrofluoric Acid (CAS # 7664-39-3): Extraordinarily hazardous Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

Selenium (CAS # 7782-49-2): Present

Product Number: RGINSCL1 Page 22 of 27

### 15.6. Pennsylvania Right-to-Know Hazardous Substances

Antimony Trioxide (CAS # 1309-64-4): "Environmental hazard" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): "Present" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): Environmental hazard

Antimony Trioxide (CAS # 1309-64-4): Present

Lead (CAS # 7439-92-1): Environmental hazard

Lead (CAS # 7439-92-1): Present

Thallium (CAS # 7440-28-0): "Environmental hazard" As Thallium compounds [RR-00575-4]

Thallium (CAS # 7440-28-0): "Present" As Thallium compounds [RR-00575-4]

Thallium (CAS # 7440-28-0): Environmental hazard

Thallium (CAS # 7440-28-0): Present

Arsenic (CAS # 7440-38-2): "Environmental hazard" As Arsenic compounds [RR-00625-7]

Arsenic (CAS # 7440-38-2): "Present" As Arsenic compounds [RR-00625-7]

Arsenic (CAS # 7440-38-2): Environmental hazard (including inorganic); Special hazardous substance

Arsenic (CAS # 7440-38-2): Present

Arsenic (CAS # 7440-38-2): Present (including inorganic)

Cadmium (CAS # 7440-43-9): "Environmental hazard" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): "Present" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): Environmental hazard (dust; fume; metal; powder): Special hazardous substance (metal; powder)

Cadmium (CAS # 7440-43-9): Present (dust; fume; metal; powder)

Cadmium (CAS # 7440-43-9): Present (metal; powder)

Hydrofluoric Acid (CAS # 7664-39-3): Environmental hazard

Hydrofluoric Acid (CAS # 7664-39-3): Present

Nitric Acid (CAS # 7697-37-2): Environmental hazard

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

Selenium (CAS # 7782-49-2): "Environmental hazard" As Selenium compounds [RR-00612-2]

Selenium (CAS # 7782-49-2): "Present" As Selenium compounds [RR-00612-2]

Selenium (CAS # 7782-49-2): Environmental hazard

Selenium (CAS # 7782-49-2): Present

Product Number: RGINSCL1 Page 23 of 27

### 15.7. New Jersey Worker and Community Right-to-Know Components

Antimony Trioxide (CAS # 1309-64-4): "SN 2223 500 lb TPQ (Category Code N010. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): "sn 2223" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): carcinogen Antimony Trioxide (CAS # 1309-64-4): sn 0149 Antimony Trioxide (CAS # 1309-64-4): sn 2223

Antimony Trioxide (CAS # 1309-64-4): SN 2223 500 lb TPQ (Category Code N010. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Lead (CAS # 7439-92-1): carcinogen; teratogen

Lead (CAS # 7439-92-1): sn 1096

Lead (CAS # 7439-92-1): SN 1096 500 lb TPQ

Thallium (CAS # 7440-28-0): "SN 2809 500 lb TPQ (Category Code N760. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Thallium compounds [RR-00575-4]

Thallium (CAS # 7440-28-0): "sn 2809" As Thallium compounds [RR-00575-4]

Thallium (CAS # 7440-28-0): flammable - third degree

Thallium (CAS # 7440-28-0): sn 1840

Thallium (CAS # 7440-28-0): SN 1840 500 lb TPQ

Arsenic (CAS # 7440-38-2): "SN 2138 500 lb TPQ (Category Code N020. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Arsenic compounds [RR-00625-7]

Arsenic (CAS # 7440-38-2): "sn 2138" As Arsenic compounds [RR-00625-7]

Arsenic (CAS # 7440-38-2): carcinogen; teratogen

Arsenic (CAS # 7440-38-2): sn 0152

Arsenic (CAS # 7440-38-2): SN 0152 500 lb TPQ

Cadmium (CAS # 7440-43-9): "carcinogen" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): "SN 2199 500 lb TPQ (Category Code N078. Includes any unique chemical substance that contains the named metal

as part of that chemical structure)" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): "sn 2199" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): carcinogen; flammable - third degree; teratogen

Ca

Product Number: RGINSCL1 Page 24 of 27



### 15.8. California Proposition 65

Antimony Trioxide (CAS # 1309-64-4): carcinogen, 10/1/1990

Lead (CAS # 7439-92-1): 15  $\mu$ g/day NSRL (oral)

Lead (CAS # 7439-92-1): carcinogen, 10/1/1992

Lead (CAS # 7439-92-1): developmental toxicity, 2/27/1987

Lead (CAS # 7439-92-1): female reproductive toxicity 2/27/87

Lead (CAS # 7439-92-1): male reproductive toxicity, 2/27/87

Arsenic (CAS # 7440-38-2): "0.06 µg/day NSRL (inhalation, listed under Arsenic); 10 µg/day NSRL (except inhalation, listed under Arsenic)" As

Arsenic, inorganic compounds [RR-00065-7]

Arsenic (CAS # 7440-38-2): "carcinogen, 2/27/1987" As Arsenic, inorganic compounds [RR-00065-7]

Arsenic (CAS # 7440-38-2): 0.06 µg/day NSRL (inhalation); 10 µg/day NSRL (except inhalation)

Cadmium (CAS # 7440-43-9): "carcinogen, 10/1/1987" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): 0.05 µg/day NSRL (inhalation)

Cadmium (CAS # 7440-43-9): carcinogen, 10/1/1987

Cadmium (CAS # 7440-43-9): developmental toxicity, 5/1/1997

Cadmium (CAS # 7440-43-9): male reproductive toxicity, 5/1/97

### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Antimony Trioxide (CAS # 1309-64-4): Present (DSL)

Lead (CAS # 7439-92-1): Present (DSL)

Thallium (CAS # 7440-28-0): Present (DSL)

Arsenic (CAS # 7440-38-2): Present (DSL)

Cadmium (CAS # 7440-43-9): Present (DSL)

Hydrofluoric Acid (CAS # 7664-39-3): Present (DSL)

Nitric Acid (CAS # 7697-37-2): Present (DSL)

Water (CAS # 7732-18-5): Present (DSL)

Selenium (CAS # 7782-49-2): Present (DSL)

#### 15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Antimony Trioxide (CAS # 1309-64-4): Present (ACTIVE)

Lead (CAS # 7439-92-1): Present (ACTIVE)

Thallium (CAS # 7440-28-0): Present (ACTIVE)

Arsenic (CAS # 7440-38-2): Present (ACTIVE)

Cadmium (CAS # 7440-43-9): Present (ACTIVE)

Hydrofluoric Acid (CAS # 7664-39-3): Present (ACTIVE)

Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)

Water (CAS # 7732-18-5): Present (ACTIVE)

Selenium (CAS # 7782-49-2): Present (ACTIVE)

Product Number: RGINSCL1 Page 25 of 27



# 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Antimony Trioxide (CAS # 1309-64-4): 215-175-0 Antimony Trioxide (CAS # 1309-64-4): 215-474-6

Lead (CAS # 7439-92-1): 231-100-4 Thallium (CAS # 7440-28-0): 231-138-1 Arsenic (CAS # 7440-38-2): 231-148-6 Cadmium (CAS # 7440-43-9): 231-152-8 Hydrofluoric Acid (CAS # 7664-39-3): 231-634-8 Nitric Acid (CAS # 7697-37-2): 231-714-2 Water (CAS # 7732-18-5): 231-791-2 Selenium (CAS # 7782-49-2): 231-957-4

### **SECTION 16: Other Information**

### 16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Fatal if inhaled. Toxic to aquatic life with long lasting effects.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Collect spillage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

#### 16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.


Biohazardous Infectious Materials Hazard Class: Not Applicable.

Product Number: RGINSCL1 Page 26 of 27



### 16.3. National Fire Protection Association (NFPA) Rating

Health: 2
Flammability: 0
Reactivity: 0
Special Hazard:



#### 16.4. Document Revision

Last Revision Date: 2023-09-11

### DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: RGINSCL1 Page 27 of 27