

Product Specification

Ferric Ammonium Sulfate (Ferric Alum), Saturated

Lot Number: SAMPLE

Product Number: 3070

Manufacture Date: N/A

Expiration Date: N/A

| Name | CAS# | Grade |
|---------------------------------------|-----------|-----------------|
| Water | 7732-18-5 | ACS/ASTM/USP/EP |
| Ferric Ammonium Sulfate Dodecahydrate | 7783-83-7 | ACS |

| Test | Specification | Result |
|---------------------|--|--------|
| Appearance | Amber liquid | N/A |
| Suitability for Use | White precipitate (Excess Silver ions) - Reddish-Brown Color (Excess Thiocyanate ions) | N/A |

| Specification | Reference |
|--|---------------------|
| Ferric ammonium sulfate, saturated solution | TAPPI (T 624 cm-85) |
| Ferric ammonium sulfate indicator, saturated | TAPPI (T 613 cm-83) |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 3070-1 | 4 L natural poly | 24 months |
| 3070-16 | 500 mL natural poly | 24 months |
| 3070-32 | 1 L natural poly | 24 months |
| 3070-4 | 120 mL natural poly | 24 months |

Recommended Storage: 15°C - 30°C (59°F - 86°F)

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.