

Product Specification

Methyl Orange Indicator Solution, Modified 0.01%

Lot Number: SAMPLE

Product Number: R5031000

Manufacture Date: N/A

Expiration Date: N/A

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Xylene Cyanol FF	2650-17-1	Technical
Methyl Orange, Sodium Salt	547-58-0	ACS

Test	Specification	Result
Appearance	Green liquid	N/A
Suitability for Use	Green (pH > 4.6) - Gray (pH 3.8) - Mauve (pH < 2.9)	N/A

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
R5031000-500C	500 mL amber glass	12 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.