

Product Specification

Sodium Hydroxide, 0.1333 Normal

Manufacture Date: N/A Lot Number: SAMPLE Product Number: 7356.5 Expiration Date: N/A CAS# Name Grade Water 7732-18-5 ACS/ASTM/USP/EP Sodium Hydroxide 1310-73-2 Reagent NIST SRM# Test Specification Result

Appearance	Colorless liquid	N/A	
Assay (vs. Potassium Hydrogen	0.1332-0.1334 N at 20°C	N/A	84
Phthalate/Phenolphthalein)			

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
7356.5-1	4 L natural poly	24 months
7356.5-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.