448 West Fork Dr Arlington, TX 76012 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

## Certificate of Analysis

Chloride Standard, 500 ppm Cl (0.0141 Normal)

Lot Number: 1310N56 Product Number: 1950

Manufacture Date: OCT 11, 2023

Expiration Date: SEP 2025

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Chloride	7647-14-5	ACS

Test	Specification	$\mathbf{Result}$	NIST SRM#
Appearance	Colorless liquid	Passed	
Assay (vs. Silver Nitrate/Potassium Chromate)	499.0-501.0 ppm Cl	500.5 ppm Cl	999

Specification	Reference	
Standard Sodium Chloride, 0.0141 M	APHA (4500-Cl- C)	
Standard Sodium Chloride Solution, 0.0141M	APHA (4500-Cl- D)	
Standard Sodium Chloride, 0.0141 M	APHA (4500-Cl- B)	
Sodium chloride standard, 0.0141 N	TAPPI (T 256 cm-97)	
Sodium Chloride Stock Solution (0.0141 N NaCl)	EPA (SW-846) (9250)	
Sodium Chloride Stock Solution (0.0141 N NaCl)	EPA (SW-846) (9251)	
Stock Solution (0.0141 N NaCl)	EPA (325.1)	
Stock Solution (0.0141 N NaCl)	EPA (325.2)	
Chloride stock solution (0.824 g NaCl in 1000 mL), for preparation of R 5000901	EP (N/A)	

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1950-16	500 mL natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Version: 1.3 Lot Number: 1310N56 Product Number: 1950 Page 1 of 2

Heidi J Green (10/11/2023)

Operations Manager

This document is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 1310N56 Product Number: 1950 Page 2 of 2