

Certificate of Analysis

Bromothymol Blue-Phenol Red Mixed Indicator

Lot Number: 2507J22

Product Number: 1385

Manufacture Date: JUL 15, 2025

Expiration Date: JUN 2027

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Phenol Red, Sodium Salt	34487-61-1	ACS
Bromothymol Blue Sodium Salt	34722-90-2	ACS

Test	Specification	Result	NIST SRM#
Appearance	Dark colored liquid	Passed	
pH at 25°C (Method: SQCP027, SQCP033)	7.45-7.55	7.50	186-I-g, 186-II-g, 191d
Suitability for Use	Yellow (pH < 7.5) - Violet (pH >7.5)	Passed	

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1385-4	120 mL natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



 Jose Pena (07/15/2025)
 Operations Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.